

PRODUCT CATALOGUE

2024/2025



Follow us on Social Media
SureWerx Europe





Be Smart. Be Safe. Be Sure.®

ABOUT SureWerx

BE SMART. BE SAFE. BE SURE.

Co-headquartered in Vancouver, British Columbia, and Elgin Illinois, SureWerx™ is a leading supplier of professional tool, equipment and safety products for workers. SureWerx markets its products in Canada under the JET®, Strongarm®, ITC®, STARTECH®, Pioneer®, Ranpro®, PeakWorks®, Jackson®, Wilson®, Curv-O-Mark®, Due North® and Sellstrom® brands, and in the United States under the American Forge & Foundry®, Pioneer®, PeakWorks®, Jackson®, Wilson®, Curv-O-Mark®, Due North®, Geroline/K1 and Sellstrom® brands. And now in Europe under our Jackson®, Sellstrom®, Due North®, Geroline/K1, Balder® and Curv-O-Mark® brands, SureWerx™ offers unparalleled access to its brands through its partner distributor network servicing the industrial, construction, safety, and automotive aftermarket in North America and Europe.

www.surewerx.com

NAM



"We want all of our distributor partners and the end users of our products to experience tangible value for the products and services we offer and we will continue to enhance that proposition vastly over the coming years"

— A message from our CEO, Chris Baby

Building a tool & equipment business
1957–2000

- Acquires Pioneer
- Acquires PeakWorks
- Acquires Sellstrom
- Acquires Ranpro
- Establishes STARTECH
- Acquires KP Industries
- Acquires Jackson Safety
- Acquires Wilson Brands

2009–today **2009** **2014** **2015** **2016** **2018**

Building a health, safety and productivity business

OUR COMMITMENT TO THIS REGION

To bring a range of feature rich PPE products and services to our distributor partners in the industrial, automotive, safety, medical and food markets.

As we only sell our own brands we control the appropriate certification of the products and the quality of the manufacture.

Our new catalogue includes new 'exclusive' products in the following categories:

- **PAPR systems**
- **Welding helmets**
- **Auto Darkening Filters**
- **Welding blankets and curtains**
- **Tools**
- **Arc flash protection**
- **Fall protection**
- **Head, face and eye protection**
- **Knee and elbow protection**
- **Slip protection**

OUR FUTURE COMMITMENT TO THE REGION

- Continue to bring new 'exclusive' certified products to the markets.
- Invest in the systems, processes and people to deliver the best customers experience.
- Invest in your businesses with training and Marketing support.

EMEA

Europe, Middle East and Africa

JACKSON
SAFETY

FS
FALL SAFE

OBERON
TM

sellstrom

CURV-0-MARK

dn
duenorth

KI
SERIES

NEOS

MEGA
COMFORT

www.surewerx.eu

"Our acquisition of Jackson Safety in 2018 provided us with a platform in Europe on which we intend to build a comprehensive health, safety and productivity focused business. We have a successful track record in achieving this goal in other regions and now with the acquisitions of Fallsafe (fall protection) and Oberon (Arc flash protection) we have extended our product portfolio in Europe. Our investment is already considerable and this 2025 SureWerx catalogue reflects our commitment to delivering the right products to the worker to ensure they are totally confident of their health and safety and can concentrate on their productivity and delivering their best work."



— A message from Clive Shepherd
GM/VP - EMEA Region

● Acquires
ADA Solutions

● Acquires
Due North

● Acquires
Geroline

● Acquires Footwear Specialties
International (FSI)

● Acquires
MegaComfort

● Acquires
Neos Overshoe

● Acquires
Oberon

● Acquires
Fall Safe

● Acquires Engineered
Plastics and Kinesic

2019

2020

2022

2024

TABLE OF CONTENTS

05

FALL SAFE INSPECTOR®

03

HARNESSES

24

BELTS

28

FALL PROTECTION CLOTHING

33

WORK POSITIONING LANYARDS

37

LANYARDS

50

CONNECTORS

57

DESCENDERS

59

ROPE CLAMPS & ROPE GRABS

61

PULLEYS

63

ANCHORAGES

68

ANCHOR LINES

72

RESCUE & EVACUATION

83

FALL ARREST BLOCKS

85

GLOVES & HELMETS

87

ACCESSORIES

89

TETHER POINTS

90

TOOL LANYARDS

91

TOOL & BELT POUCHES

93

CARRYING BAGS

97

ROPES & ENERGY ABSORBER

FALL SAFE INSPECTOR®

TOTAL PPE MANAGEMENT

FALL SAFE INSPECTOR® system was created to respond to the control and management needs of PPE manufactured, purchased, resold, inspected or used. With Regulation (EU) 2016/425 these requirements tightened and our system grew along with them to prevent any loose ends. Every day we deal with different partners and customers and we seek to respond to all the specifics of the market. The management and control of safety equipment is no different.

SECURE YOUR INFORMATION

Information saved on the Cloud and safely accessible anywhere, everywhere.

SAVE TIME AND RESOURCES

More productivity, less human error. It significantly reduces inspection time.


EXACT AND EASY IDENTIFICATION

Use the RFID or QR Code on your FS® PPE for easy and exact identification.

3 MODULES, INFINITE POSSIBILITIES

FALL SAFE INSPECTOR® has 3 modules, each of them aimed at a type of player in the fall protection equipment market, from the manufacturer and going all the way to the user.

The inclusion of all these groups allows for effective control of the security of the equipment as a whole and as a single unit, ensuring the interconnection of useful information.



MORE THAN AN INSPECTION TOOL

Over the years, the system has grown to become more complete and provide the user with all the necessary control tools, now allowing not only the carrying out of periodic inspections, but also the documentary control associated with the equipment, the updated history of PPE purchases and sales, user and stocks management and much more.

Access inspector.fallsafe-online.com or download the app and register today!

DOWNLOAD APP

FALL SAFE
INSPECTOR®



HARNESSES



PROFESSIONAL
SPINDEL® PRO
FS243.07



FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- 1 ALU D-RING AT LOWER BACK FOR WORK POSITIONING
- ALUMINIUM D-RING AT FRONT/ BACK/ SIDE
- CLAW - ROPE CLAMP (INCLUDED)
- CONTRASTING SEAMS FOR EASIER INSPECTION
- WIDE AND SEMI-RIGID LEG PAD WITH ELASTIC WEBBING
- SEAT CONNECTION POINT
- CROC PADDING 3.0 - AIR FLOW
- 4 ALUMINIUM IZY BUCKLE
- 6 STEEL BAR BUCKLES
- 9 ADJUSTMENT POINTS
- 11 TOOL HOLDER POINTS
- PA6 LANYARD KEEPERS
- FALL INDICATOR



Twiceme®
system tag



INSPECTOR
READY



ST+ALU



140 kg



PES - 45mm
Water repellent



KG



EAN

S/M	2.50	5605423809435	 EN361 EN358 EN813
L/XL	2.60	5605423809442	
XXL	2.90	5605423809459	



PROFESSIONAL
SPINDEL® EVO
FS243.06



FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM D-RING AT BACK/ VENTRAL
- ALUMINIUM O-RING AT FRONT/ SIDE
- CONTRASTING SEAMS FOR EASIER INSPECTION
- WIDE AND SEMI RIGID LEG PAD WITH ELASTIC WEBBING
- SEAT CONNECTION POINT
- CROC PADDING 3.0 - AIR FLOW
- 5 ALUMINIUM IZY BUCKLE
- 6 STEEL 3 BAR BUCKLES
- 12 ADJUSTMENT POINTS
- 5 TOOL HOLDER POINTS
- PA6 LANYARD KEEPER
- FALL INDICATOR



Twiceme®
system tag



INSPECTOR
READY



ST+ALU



140 kg



PES - 45mm
Water repellent



KG



EAN

S/M	2.87	5605423800623	 EN361 EN358 EN813
L/XL	2.89	5605423800630	
XXL	2.92	5605423800647	



PROFESSIONAL
SPINDEL® COMBO 1
FS243.01



FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM D-RING AT FRONT/ BACK/ VENTRAL/ SIDE
- SEAT CONNECTION POINT
- CONTRASTING SEAMS FOR EASIER INSPECTION
- CROC PADDING 3.0 - AIR FLOW
- 4 ALUMINIUM IZY BUCKLE
- 5 STEEL 3 BAR BUCKLES
- 9 ADJUSTMENT POINTS
- 9 TOOL HOLDER POINTS
- PA6 LANYARD KEEPERS
- FALL INDICATOR



Color 55 Black available



Twiceme® system tag



INSPECTOR READY



ST+ALU



140 kg



PES - 45mm
Water repellent



KG



EAN

S/M	2.10	5605423571172
L/XL	2.20	5605423571080
XXL	2.30	5605423820188



EN361
EN358
EN813



PROFESSIONAL
SPINDEL® COMBO 2
FS243.02



FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM D-RING AT FRONT/ BACK/ VENTRAL/ SIDE
- SEAT CONNECTION POINT
- CONTRASTING SEAMS FOR EASIER INSPECTION
- CROC PADDING 3.0 - AIR FLOW
- 2 ALUMINIUM IZY BUCKLE
- 5 STEEL 3 BAR BUCKLES
- 7 ADJUSTMENT POINTS
- 5 TOOL HOLDER POINTS
- PA6 LANYARD KEEPERS
- FALL INDICATOR



Twiceme® system tag



INSPECTOR READY



ST+ALU



140 kg



PES - 45mm
Water repellent



KG



EAN

S/M	1.80	5605423820355
L/XL	1.90	5605423751215
XXL	2.00	5605423751222



EN361
EN358
EN813



BLAZE

FS242EVO-1

EN361:2002

When working at night or in places with low visibility or on rescue emergencies at night, BLAZE comes to make a difference. The new Evolution of FS242EVO has an integrated optic fibre light that is durable, easy to use and extremely bendable, making the person visible for up to 3 Km in all directions (360°)!

- Up to 60 hours of operation
- Fast recharging (Li-Ion battery)
- Sold together powerbank
- Cable in Hi-Vis Orange
- Extreme bendability
- High washability
- Sew-in button modes: continuous light or flashing (intensity control)
- Mechanical durability



FEATURES:

- OPTIC FIBRE LIGHT
- PES WEBBING 45MM WATER REPELLENT
- WEBBING LOOP AT BACK
- ERGONOMIC LOOPS AT FRONT
- BLOCK LINK CONNECTION
- CONTRASTING SEAMS
- CROC PADDING 3.0 - AIR FLOW
- 3 ALUMINIUM IZY BUCKLE
- 2 STEEL 3 BAR BUCKLES
- 5 ADJUSTMENT POINTS
- 4 TOOL HOLDER POINTS
- PA6 LANYARD KEEPERS
- FALL INDICATOR



KG

S/M	1.50
L/XL	1.70
XXL	1.90



EAN

5605423813173
5605423812770
5605423813166



INSPECTOR
READY



ST+ALU



140 kg



PES - 45mm
Water repellent



Twiceme®
system tag

PROFESSIONAL
LITE EVO
FS242EVO



FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ERGONOMIC LOOPS AT FRONT
- WEBBING LOOP AT BACK
- BLOCK LINK CONNECTION
- CONTRASTING SEAMS FOR EASIER INSPECTION
- CROC PADDING 3.0 - AIR FLOW
- 3 ALUMINIUM IZY BUCKLE
- 2 STEEL 3 BAR BUCKLES
- 5 ADJUSTMENT POINTS
- 4 TOOL HOLDER POINTS
- PA6 LANYARD KEEPERS
- FALL INDICATOR



Twiceme®
system tag



INSPECTOR
READY



ST+ALU



140 kg



PES - 45mm
Water repellent



KG



EAN

S/M	1.80	5605423808100
L/XL	1.90	5605423808094
XXL	2.00	5605423808148



PROFESSIONAL
LITE
FS242



FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- WEBBING LOOP AT BACK/ FRONT
- CONTRASTING SEAMS FOR EASIER INSPECTION
- CROC PADDING 3.0 - AIR FLOW
- 3 ALUMINIUM IZY BUCKLE
- 2 STEEL 3 BAR BUCKLES
- 5 ADJUSTMENT POINTS
- 4 TOOL HOLDER POINTS
- PA6 LANYARD KEEPERS
- FALL INDICATOR



Twiceme®
system tag



INSPECTOR
READY



ST+ALU



140 kg



PES - 45mm
Water repellent



KG



EAN

S/M	1.80	5605423570809
L/XL	1.90	5605423570816
XXL	2.00	5605423570823



PROFESSIONAL
SCAFFOLDER
FS224



FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM D-RING AT FRONT/ BACK
- BLOCK LINK CONNECTION
- SPECIAL INTEGRATED SEAT FOR MORE COMFORT
- CONTRASTING SEAMS FOR EASIER INSPECTION
- CROC PADDING 3.0 - AIR FLOW
- 3 ALUMINIUM IZY BUCKLE
- 2 STEEL 3 BAR BUCKLES
- 4 ADJUSTMENT POINTS
- 4 TOOL HOLDER POINTS
- PA6 LANYARD KEEPER
- FALL INDICATOR



Twiceme®
system tag



INSPECTOR
READY



ST+ALU



140 kg



PES - 45mm
Water repellent



KG



EAN

S/M
L/XL
XXL

2.00
2.10
2.20

5605423570120
5605423570137
5605423570144



PROFESSIONAL
ROOFWALKER
FS221



FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM D-RING AT BACK/ SIDE
- FRONTAL WEBBING LOOPS
- INTEGRATED ENERGY ABSORBER (SIDE BELT)
- CONTRASTING SEAMS FOR EASIER INSPECTION
- CROC PADDING 3.0 - AIR FLOW
- 4 ALUMINIUM IZY BUCKLES
- 4 ADJUSTMENT POINTS
- 8 TOOL HOLDER POINTS
- PA6 LANYARD KEEPERS
- FALL INDICATOR



INSPECTOR
READY



ST+ALU



140 kg



PES - 45mm
Water repellent



KG



EAN

S/M
L/XL
XXL

3.09
3.11
3.14

5605423570861
5605423570083
5605423570885



PROFESSIONAL
ULTRA EVO
FS222EVO



FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM 45° D-RING AT BACK/ SIDE
- ERGONOMIC FRONT LOOPS
- BLOCK LINK CONNECTION
- CONTRASTING SEAMS FOR EASIER INSPECTION
- WIDE BELT CROC PADDING 3.0 - AIR FLOW
- 4 ALUMINIUM IZY BUCKLES
- 2 STEEL 3 BAR BUCKLES
- 6 ADJUSTMENT POINTS
- PA6 LANYARD KEEPERS
- FALL INDICATOR

PROFESSIONAL
URATOR PRO
FS275



FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM D-RING AT BACK/ FRONT
- CONTRASTING SEAMS FOR EASIER INSPECTION
- CROC PADDING 3.0 - AIR FLOW
- 3 ALUMINIUM IZY BUCKLES
- 2 STEEL 3 BAR BUCKLES
- 5 ADJUSTMENT POINTS
- PA6 LANYARD KEEPERS
- FALL INDICATOR



INSPECTOR
READY



ST+ALU



140 kg



PES - 45mm
Water repellent



KG



EAN

S/M	1.40	5605423570090
L/XL	1.50	5605423570106
XXL	1.60	5605423570113



EN361
EN358



INSPECTOR
READY



ST+ALU



120 kg



PES - 45mm
Water repellent



KG



EAN

S/M	1.80	5605423805758
L/XL	1.90	5605423805741
XXL	2.00	5605423805765



EN361



PROFESSIONAL
CLASSIC EVO
FS202EVO



FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM D-RING AT BACK/SIDES
- ERGONOMIC FRONT LOOPS
- BLOCK LINK CONNECTION
- CONTRASTING SEAMS FOR EASIER INSPECTION
- CROC PADDING 3.0 - AIR FLOW
- 3 ALUMINIUM IZY BUCKLE
- 2 STEEL 3 BAR BUCKLES
- 5 ADJUSTMENT POINTS
- PA6 LANYARD KEEPERS
- FALL INDICATOR



INSPECTOR
READY



ST+ALU



140 kg



PES - 45mm
Water repellent



KG



EAN

S/M
L/XL
XXL

1.80
1.90
2.00

5605423808124
5605423808117
5605423808131



EN361



PROFESSIONAL
CLASSIC
FS202



FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM D-RING AT BACK
- FRONT WEBBING LOOPS
- CONTRASTING SEAMS FOR EASIER INSPECTION
- CROC PADDING 3.0 - AIR FLOW
- 3 ALUMINIUM IZY BUCKLE
- 2 STEEL 3 BAR BUCKLES
- 5 ADJUSTMENT POINTS
- PA6 LANYARD KEEPERS
- FALL INDICATOR



INSPECTOR
READY



ST+ALU



140 kg



PES - 45mm
Water repellent



KG



EAN

S/M
L/XL
XXL

1.80
1.90
2.00

5605423751383
5605423570014
5605423570021



EN361



PROFESSIONAL
FLASH
FS240



FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM ALLOY D-RING AT BACK/ SIDE
- FRONTAL WEBBING LOOPS
- POSITIONING LEG LOOPS
- CONTRASTING SEAMS FOR EASIER INSPECTION
- CROC PADDING 3.0 - AIR FLOW
- 4 ALUMINIUM IZY BUCKLES
- 2 ALUMINIUM SPRING BUCKLES
- 6 ADJUSTMENT POINTS
- 9 TOOL HOLDER POINTS
- PA6 LANYARD KEEPERS
- FALL INDICATOR



Twiceme®
system tag



INSPECTOR
READY



ST+ALU



140 kg



PES - 45mm
Water repellent



KG



EAN

S/M	2.00	5605423570687
L/XL	2.10	5605423571219
XXL	2.20	5605423571226



EN361
EN358
EN813



PROFESSIONAL
FLASH VERTIX
FS240-1



FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM ALLOY D-RING AT BACK/ SIDE
- FRONTAL WEBBING LOOPS
- LADDER CLIMBING VENTRAL LOOPS
- POSITIONING LEG LOOPS
- CONTRASTING SEAMS FOR EASIER INSPECTION
- CROC PADDING 3.0 - AIR FLOW WITH CROC SLIDER
- 4 ALUMINIUM IZY BUCKLE
- 2 ALUMINIUM SPRING BUCKLES
- 6 ADJUSTMENT POINTS
- 9 TOOLS HOLDERS POINTS
- PA6 LANYARD KEEPERS
- FALL INDICATOR



Twiceme®
system tag



INSPECTOR
READY



ST+ALU



100 kg



PES - 45mm
Water repellent



KG



EAN

S/M	1.80	5605423571233
L/XL	1.90	5605423571240
XXL	2.00	5605423571257



EN361
EN358
EN813



EXTREME
ARC FLASH
FS240-2



FEATURES:

- KEVLAR® NOMEX® COATING WEBBING 45MM - ANTI FLAME
- KEVLAR® SEAMS
- DIELECTRIC STEEL D-RING AT BACK/ SIDE
- FRONTAL WEBBING LOOPS
- POSITIONING LEG LOOPS
- CONTRASTING SEAMS FOR EASIER INSPECTION
- CROC PADDING 3.0 - AIR FLOW
- 4 DIELECTRIC STEEL IZY QUICK BUCKLES
- 4 DIELECTRIC STEEL 3 BAR BUCKLES
- 5 TOOLS HOLDERS POINTS
- 9 ADJUSTMENT POINTS
- PA6 LANYARD KEEPERS
- FALL INDICATOR



Twiceme®
system tag



INSPECTOR
READY



DIELECTRIC ST



140 kg



KEVLAR®
45mm
(NOMEX®
coated)



KG



EAN

S/M	3.50	5605423571301
L/XL	3.70	5605423571318
XXL	3.11	5605423571325



EN361
EN358
EN813
ASTM F887



EXTREME
KEVLAR
FS201KEV



FEATURES:

- DESIGNED FOR WELDING AND WORKERS EXPOSED TO FIRE OR FLAMES
- KEVLAR® NOMEX® COATING WEBBING 45MM - ANTI FLAME
- KEVLAR® SEAMS
- DORSAL BLOCK LINK PLATE
- ALUMINIUM ALLOY D-RING AT BACK
- FRONTAL WEBBING LOOPS
- CONTRASTING SEAMS FOR EASIER INSPECTION
- 3 STAINLESS STEEL 3 BAR BUCKLES
- 3 ADJUSTMENT POINTS
- WEBBING KEEPERS
- FALL INDICATOR



INSPECTOR
READY



INOX+ALU



140 kg



KEVLAR®
45mm



KG



EAN

S/M	0.90	5605423821116
L/XL	1.00	5605423820256
XXL	1.10	5605423270419



EN361



EXTREME
ATEX
FS249



FEATURES:

DESIGNED FOR ATEX ENVIRONMENTS AND EXPLOSIVE ATMOSPHERE
 PES ANTI STATIC WEBBING 45MM
 ALUMINIUM ALLOY D-RING AT BACK
 FRONTAL WEBBING LOOPS
 CONTRASTING SEAMS FOR EASIER INSPECTION
 DORSAL WEBBING GUIDE
 3 ALUMINIUM IZY BUCKLES
 3 ADJUSTMENT POINTS
 WEBBING KEEPERS
 FALL INDICATOR



INSPECTOR
READY



ST+ALU



140 kg



Anti-static PES
45mm



KG



EAN

S/M	1.80	5605423571332
L/XL	1.90	5605423571295
XXL	2.00	5605423571349



EN361
EN60079-0 (II
2 G c T6)



EXTREME
TUFF
FS233



FEATURES:

DESIGNED FOR DIRTY ENVIRONMENTS AND WORKERS EXPOSED TO OIL, PAINT, BACTERIA...
 PES WEBBING 45MM PROTECTED BY BIOTHANE®
 ALUMINIUM ALLOY D-RING AT BACK/FRONT
 CONTRASTING SEAMS FOR EASIER INSPECTION
 DORSAL WEBBING GUIDE
 2 ALUMINIUM BUCKLES
 3 STEEL 3 BAR BUCKLES
 5 ADJUSTMENT POINTS
 WEBBING KEEPERS
 FALL INDICATOR



INSPECTOR
READY



ST+ALU



140 kg



BIOTHANE® 45mm
Chemical resistance



KG



EAN

S/M	2.30	5605423571271
L/XL	2.37	5605423571264
XXL	2.42	5605423571288



EN361



PROFESSIONAL
DOUGLAS PRO
FS267



FEATURES:

- DESIGNED FOR ARBORISTS
- PES WEBBING 30/45MM - WATER REPELLENT
- SPECIAL TEXTILE WITH HIGH ABRASION PERFORMANCE
- ALUMINIUM ALLOY 45° D-RING AT SIDE
- STATIC BRIDGE ROPE 1.20M - PA 9MM WITH ALU O-RING
- SEMI RIGID WIDE LEG PAD
- REFORCED CONNECTION AT BACK POINT FOR CHAINSAW
- ALUMINIUM ALLOY BRIDGE PLATE - 3 POSITION
- EXTRA RIGID WIDE CROC PADDING 3.0
- 2 BARS STEEL BUCKLE
- 10 TOOL HOLDERS POINTS
- 7 ADJUSTMENT POINTS



INSPECTOR
READY



ST+ALU



140 kg



PES 30/45mm
Water Repellent



KG



EAN

S/M	2.85	5605423803655
L/XL	2.90	5605423803426
XXL	2.95	5605423803662



COMFORT
BERKUT 3
FS2010



FEATURES:

- PES WEBBING 45MM HIGH VISIBILITY
- STEEL ALLOY D-RING AT DORSAL, CHEST AND VENTRAL
- STEEL ALLOY D-RINGS FOR POSITIONING ON BELT
- CONTRASTING SEAMS FOR EASIER INSPECTION
- CHEST WEBBING FOR CHEST ASCENDER CLAW
- 6 STEEL 3 BAR BUCKLES
- 6 ADJUSTMENT POINTS
- TOOL HOLDERS ON BELT
- WEBBING KEEPERS
- FALL INDICATOR



Color 55 Black
available



ST



120 kg



PES 45mm



KG



EAN

S/M	2.20	5605423660319
L/XL	2.40	5605423660197
XXL	2.60	5605423660210



COMFORT
BERKUT 6
FS2026



FEATURES:

- PES WEBBING 45MM HIGH VISIBILITY
- STEEL ALLOY D-RING AT BACK/ SIDE
- FRONTAL WEBBING LOOPS
- CONTRASTING SEAMS FOR EASIER INSPECTION
- COMFORTABLE LUMBAR PADDING
- STEEL DELUXE BUCKLE
- 3 STEEL 3 BAR BUCKLES
- 6 ADJUSTMENT POINTS
- BASIC PA6 LANYARD KEEPERS
- WEBBING KEEPER
- FALL INDICATOR



ST



140 kg



PES 45mm



KG



EAN

S/M	2.40	5605423270877
L/XL	2.50	5605423270815
XXL	2.60	5605423270884



COMFORT
BERKUT 5
FS2025



FEATURES:

- PES WEBBING 45MM HIGH VISIBILITY
- STEEL ALLOY D-RING AT BACK
- FRONTAL WEBBING LOOP
- CONTRASTING SEAMS FOR EASIER INSPECTION
- COMFORTABLE LUMBAR PADDING
- STEEL DELUXE BUCKLE
- 3 STEEL 3 BAR BUCKLES
- 5 ADJUSTMENT POINTS
- BASIC PA6 LANYARD KEEPER
- WEBBING KEEPER
- FALL INDICATOR



ST



140 kg



PES 45mm



KG



EAN

S/M	1.90	5605423270853
L/XL	2.10	5605423270808
XXL	2.30	5605423270860



COMFORT
AQUILA 7
FS2007



FEATURES:

- PES WEBBING 45MM HIGH VISIBILITY
- STEEL ALLOY D-RING AT BACK AND SIDE
- FRONTAL WEBBING LOOPS
- CONTRASTING SEAMS FOR EASIER INSPECTION
- COMFORTABLE LUMBAR PAD
- DORSAL BLOCK LINK PLATE
- 5 STEEL 3 BAR BUCKLES
- DELTA STEEL BUCKLE
- 6 ADJUSTMENT POINTS
- LANYARD KEEPERS
- FALL INDICATOR



ST



100 kg



PES 45mm



UNI

KG

1.20



EAN

5605423660074



EN361
EN358



BASIC
AQUILA 4
FS2008



FEATURES:

- PES WEBBING 45MM HIGH VISIBILITY
- STEEL ALLOY D-RING AT BACK
- FRONTAL WEBBING LOOPS
- CONTRASTING SEAMS FOR EASIER INSPECTION
- DORSAL BLOCK LINK PLATE
- 4 STEEL 3 BAR BUCKLES
- DELTA STEEL BUCKLE
- 5 ADJUSTMENT POINTS
- LANYARD KEEPERS
- FALL INDICATOR



ST



100 kg



PES 45mm



UNI

KG

0.96



EAN

5605423660067



EN361



COMFORT
BERKUT 1
FS2000



FEATURES:

- PES WEBBING 45MM HIGH VISIBILITY
- STEEL ALLOY D-RING AT BACK/ SIDE
- FRONTAL WEBBING LOOP
- CONTRASTING SEAMS FOR EASIER INSPECTION
- COMFORTABLE LUMBAR PAD
- DORSAL BLOCK LINK PLATE
- 3 3-BAR STEEL BUCKLES
- DELTA STEEL BUCKLE
- 4 ADJUSTMENT POINTS
- WEBBING KEEPER
- FALL INDICATOR



ST



140 kg



PES 45mm



UNI

KG

1.28



EAN

5605423660050



EN361
EN358



BASIC
AQUILA 3
FS2002



FEATURES:

- PES WEBBING 45MM HIGH VISIBILITY
- STEEL ALLOY D-RING AT BACK
- FRONTAL WEBBING LOOP
- CONTRASTING SEAMS FOR EASIER INSPECTION
- DORSAL BLOCK LINK PLATE
- 2 3-BAR STEEL BUCKLES
- DELTA STEEL BUCKLE
- 3 ADJUSTMENT POINTS
- WEBBING KEEPER
- FALL INDICATOR



ST



140 kg



PES 45mm



UNI

KG

1.00



EAN

5605423660104



EN361



COMFORT
BERKUT 4
FS2020



FEATURES:

- PES ELASTIC WEBBING 45MM - BLACK
- PES WEBBING 45MM HIGH VISIBILITY
- STEEL ALLOY 45° D-RING AT BACK
- CRANKED SIDE WAIST 45° D-RING FOR WORK POSITIONING
- FRONTAL WEBBING LOOP
- DORSAL BLOCK LINK PLATE
- CONTRASTING SEAMS FOR EASIER INSPECTION
- COMFORTABLE LUMBAR PADDING
- STEEL DELUXE BUCKLE
- 3 BARS STEEL BUCKLE
- 5 ADJUSTMENT POINTS
- PA6 LANYARD KEEPER
- FALL INDICATOR



ST



100 kg



PES 45mm



KG



EAN

S/M	2.06	5605423752403
L/XL	2.08	5605423752410
XXL	2.10	5605423754087



BASIC
URATOR
FS2021



FEATURES:

- PES WEBBING 45MM HIGH VISIBILITY
- STEEL ALLOY D-RING AT BACK/ FRONT
- CONTRASTING SEAMS FOR EASIER INSPECTION
- DORSAL BLOCK LINK PLATE
- 4 ADJUSTMENT POINTS
- 3 STEEL DELUXE BUCKLE
- 2 STEEL BAR BUCKLE
- WEBBING KEEPER
- FALL INDICATOR



ST



120 kg



PES 45mm



KG



EAN

UNI	1.65	5605423802801
-----	------	---------------



BASIC
AQUILA 2
FS2006



FEATURES:

- PES WEBBING 45MM HIGH VISIBILITY
- STEEL ALLOY D-RING AT BACK/ FRONT
- CONTRASTING SEAMS FOR EASIER INSPECTION
- DORSAL BLOCK LINK PLATE
- 5 STEEL ALLOY 3 BAR BUCKLE
- 5 ADJUSTMENT POINTS
- FALL INDICATOR



ST



140 kg



PES 45mm



UNI

KG

1.20



EAN

5605423660081



EN361



BASIC
AQUILA 6
FS2019



FEATURES:

- PES WEBBING 45MM HIGH VISIBILITY
- STEEL ALLOY D-RING AT BACK/ FRONT
- CONTRASTING SEAMS FOR EASIER INSPECTION
- DORSAL BLOCK LINK PLATE
- 2 STEEL ALLOY 3 BAR BUCKLE
- 3 STEEL DELUXE BUCKLE
- 5 ADJUSTMENT POINTS
- FALL INDICATOR



ST



140 kg



PES 45mm



UNI

KG

1.30



EAN

5605423752380



EN361



BASIC
AQUILA 5
FS2018



FEATURES:

- PES ELASTIC WEBBING 45MM - BLACK
- PES WEBBING 45MM HIGH VISIBILITY
- STEEL ALLOY D-RING AT BACK
- FRONTAL WEBBING LOOP
- CONTRASTING SEAMS FOR EASIER INSPECTION
- DORSAL BLOCK LINK PLATE
- STEEL DELUXE BUCKLE
- STEEL ALLOY 3 BAR BUCKLE
- 5 ADJUSTMENT POINTS
- FALL INDICATOR



ST



140 kg



PES 45mm



KG

UNI

1.16



EAN

5605423752397



EN361



BASIC
AQUILA 1
FS2001



FEATURES:

- PES WEBBING 45MM HIGH VISIBILITY
- STEEL ALLOY D-RING AT BACK
- CONTRASTING SEAMS FOR EASIER INSPECTION
- DORSAL BLOCK LINK PLATE
- STEEL ALLOY 3 BAR BUCKLE
- 3 ADJUSTMENT POINTS
- FALL INDICATOR



ST



140 kg



PES 45mm



KG

UNI

1.00



EAN

5605423660005



EN361



BELTS



PROFESSIONAL
LITE BELT
FS242-B



FEATURES:

- PES WEBBING 45MM HIGH VISIBILITY - WATER REPELENT
- ALUMINIUM D-RING 45° AT SIDE
- EASY AND FAST HARNESS CONNECTION
- CONTRASTING SEAMS FOR EASIER INSPECTION
- CROC PADDING 3.0 - AIR FLOW
- ALUMINIUM IZY BUCKLE
- 1 ADJUSTMENT POINT
- 3 TOOL HOLDER POINTS
- WEBBING KEEPER
- COMPATIBLE WITH FS242 AND FS242EVO



INSPECTOR
READY



ALU



100 kg



PES 45mm
Water repellent



KG



EAN

S/M
L/XL
XXL

1.10
1.27
1.44

5605423000771
5605423571110
5605423801033



PROFESSIONAL
ERGO BELT
FS050



FEATURES:

- PES WEBBING 45MM HIGH VISIBILITY - WATER REPELENT
- ALUMINIUM D-RING 45° AT SIDE
- CONTRASTING SEAMS FOR EASIER INSPECTION
- CROC PADDING 3.0 - AIR FLOW
- ALUMINIUM IZY BUCKLE
- 1 ADJUSTMENT POINT
- 2 TOOL HOLDER POINTS
- WEBBING KEEPER
- 1 ADJUSTMENT POINTS



INSPECTOR
READY



ALU



100 kg



PES 45mm
Water repellent



KG



EAN

S/M
L/XL
XXL

0.90
1.00
1.10

5605423254785
5605423260007
5605423790146



PROFESSIONAL
SLIM FIRE BRIGADE
FS241.01



FEATURES:

- PES WEBBING 45MM HIGH VISIBILITY WITH REFLECTIVE STRIP
- SPECIAL ALUMINIUM D-RING BUCKLE
- WEBBING LOOPS AT SIDE
- PA6 20 MM BUCKLE FOR LEGS ATTACHMENT (FS241.02)
- CONTRASTING SEAMS FOR EASIER INSPECTION
- COMFORTABLE REST PAD WITH PU COATED TEXTILE
- PES WEBBING TOOL HOLDER
- 1 ADJUSTMENT POINT (+2 LEG ADJUSTMENT)
- COMPATIBLE WITH LEGS FS241.02 - EN12277-C

ST+ALU	100 kg	PES 45mm w/ reflective stripes
UNI	1.10	5605423000771
		EN358



PROFESSIONAL
KEV SLIM FIRE BRIG
FS241.03



FEATURES:

- KEVLAR® WEBBING 45MM
- SPECIAL ALUMINIUM D-RING BUCKLE
- WEBBING LOOPS AT SIDE
- PA6 20 MM BUCKLE FOR LEGS ATTACHMENT (FS241.04)
- CONTRASTING SEAMS FOR EASIER INSPECTION
- COMFORTABLE REST PAD WITH ANTI FLAME TEXTILE
- PES WEBBING TOOL HOLDER
- 1 ADJUSTMENT POINT (+2 LEG ADJUSTMENT)
- COMPATIBLE WITH LEGS FS241.04 - EN12277-C

ST+ALU	100 kg	KEVLAR 45mm
UNI	0.90	5605423254785
		EN358



BASIC
**ASTUR BELT
 FS090**



FEATURES:

- PES WEBBING 45MM HIGH VISIBILITY
- STEEL ALLOY D-RING AT SIDE
- CONTRASTING SEAMS FOR EASIER INSPECTION
- COMFORT PAD
- DELTA STEEL BUCKLE
- 1 ADJUSTMENT POINT
- ELASTIC WEBBING KEEPER
- COMPATIBLE WITH:
 FS2001, FS2002, FS2006, FS2008, FS2019 AND FS2018



ST



140 kg



PES 45mm



UNI

KG

0.53



EAN

5605423720006



EN358



COMFORT
**ASTUR DELUXE
 FS090.01**



FEATURES:

- PES WEBBING 45MM HIGH VISIBILITY
- STEEL ALLOY D-RING AT SIDE
- CONTRASTING SEAMS FOR EASIER INSPECTION
- COMFORT PAD
- STEEL DELUXE BUCKLE
- 1 ADJUSTMENT POINT
- ELASTIC WEBBING KEEPER
- COMPATIBLE WITH:
 FS2001, FS2002, FS2006, FS2008, FS2019 AND FS2018



ST



140 kg



PES 45mm



UNI

KG

0.54



EAN

5605423807769



EN358





FALL PROTECTION CLOTHING

PROFESSIONAL
SMART 3
FS320



FEATURES:

- INTEGRATED SAFETY HARNESS
- PES WEBBING 44MM WATER REPELLENT
- ALUMINIUM D-RING AT BACK AND SIDE
- FRONTAL WEBBING LOOPS
- 2 POCKET WITH ZIPPER CLOSURE
- 4 ALUMINIUM IZY QUICK BUCKLES
- 4 ADJUSTMENT POINTS
- PA6 TOOLS HOLDERS POINTS
- FALL INDICATOR



Size	Weight	Material	EAN	CE
30	S/M	2.00	5605423100426	EN361 EN358 EN ISO 20471 EN ISO 13688
30	L/XL	2.05	5605423100433	
30	XXL	2.10	5605423101751	



PROFESSIONAL
SMART 1
FS322



FEATURES:

- INTEGRATED SAFETY HARNESS
- PES WEBBING 44MM WATER REPELLENT
- ALUMINIUM D-RING AT BACK
- FRONTAL WEBBING LOOPS
- 2 POCKET WITH ZIPPER CLOSURE
- 3 ALUMINIUM IZY QUICK BUCKLES
- 3 ADJUSTMENT POINTS
- PA6 TOOLS HOLDERS POINTS
- FALL INDICATOR



Size	Weight	Material	EAN	CE
30	S/M	2.00	5605423101003	EN361 EN ISO 20471 EN ISO 13688
30	L/XL	2.05	5605423100983	
30	XXL	2.10	5605423100990	



PROFESSIONAL
PRO SMART 3
FS321



FEATURES:

HIGH VISIBILITY VEST - ACCESSORY FOR LOW VISIBILITY WORKPLACES
COMPATIBLE WITH FALL SAFE® SAFETY HARNESSES RANGE WITH OPENINGS FOR WEBBING, LOOPS, WEBBING KEEPERS AND D-RINGS
ZIPPER CLOSURE
WITH LATERAL ZIPPER FOR THE POSITIONING/BELT D-RING



PES/CO



KG



EAN

S/M	0.40	5605423809848
L/XL	0.45	5605423809855
XXL	0.50	5605423809862



PROFESSIONAL
OFFSHORE
FS3610



FEATURES:

HARNESS WITH AUTOMATIC INFLATABLE FLOATER
FLAME RESISTANCE TEXTILE PROPERTIES
PES WEBBING 44MM WATER REPELLENT
2 POCKETS WITH VELCRO® CLOSURE
DIELECTRIC D-RING AT DORSAL/ SIDE
PA6 TOOLS HOLDERS POINTS
STEEL BUCKLE
3 ADJUSTMENT POINTS
FALL INDICATOR



INSPECTOR READY



ST+ALU



140 kg



PES 44mm



PES/CO



KG



EAN

40	S/M	2.10	5605423800685
40	L/XL	2.20	5605423380002
40	XXL	2.30	5605423800692



EN361
EN358
SOLAS
EN ISO
12402-2
EN ISO
12401




PROFESSIONAL
BLASTER
FS4242



FEATURES:

- JACKET WITH INTEGRATED HARNESS
- PES WEBBING 44MM WATER REPELLENT
- ALUMINIUM D-RING AT DORSAL/ SIDE
- PA6 TOOLS HOLDERS POINTS
- 4 ALUMINIUM IZY BUCKLE
- WEBBING FRONT LOOPS
- 4 ADJUSTMENT POINTS
- FALL INDICATOR



Grid	Size	Weight (KG)	EAN
30	S/M	2.55	5605423800784
30	L/XL	3.00	5605423800791
30	XXL	3.45	5605423800807




PROFESSIONAL
PARKA
FS4500



FEATURES:

- PARKA WITH INTEGRATED HARNESS
- PES WEBBING 44MM WATER REPELLENT
- ALUMINIUM D-RING AT DORSAL
- PA6 TOOLS HOLDERS POINTS
- 3 ALUMINIUM IZY BUCKLE
- WEBBING FRONT LOOPS
- 3 ADJUSTMENT POINTS
- FALL INDICATOR



Grid	Size	Weight (KG)	EAN
42	S/M	2.10	5605423814958
42	L/XL	2.20	5605423814965
42	XXL	2.30	5605423814972



EN361
EN ISO 1416
EN ISO 20471
EN ISO 13688
EN ISO 1149-5
EN ISO 11611
EN ISO 11612




PROFESSIONAL
PANZER
FS400



FEATURES:

- INTEGRATED SAFETY HARNESS WITH PES WEBBING 44MM
- ALUMINIUM ALLOY D-RING AT CHEST/ DORSAL
- 3 ADJUSTMENT POINTS
- 6 POCKETS



INSPECTOR
READY



ST+ALU



140 kg



PES 44mm



PES/CO



EN361
EN ISO
1416
EN ISO
13688
EN ISO
1149-5
EN ISO
11611
EN ISO
11612



KG



EAN

42	S	1.80	5605423815177
42	M	3.00	5605423815184
42	L	3.45	5605423815191
42	XL	3.45	5605423815207



PROFESSIONAL
RESCUE
FS402



FEATURES:

- INTEGRATED SAFETY HARNESS WITH PES WEBBING 44MM
- ALUMINIUM ALLOY D-RING AT CHEST/ DORSAL
- ALUMINIUM ALLOY D-RING FOR RESCUE PURPOSES
- 3 ADJUSTMENT POINTS
- 6 POCKETS



INSPECTOR
READY



ST+ALU



140 kg



PES 44mm



PES/CO



EN361
EN1497
EN ISO
1416
EN ISO
13688
EN ISO
1149-5
EN ISO
11611
EN ISO
11612



KG



EAN

44	S	3.55	5605423814804
44	M	2.20	5605423815214
44	L	2.30	5605423815221
44	XL	2.30	5605423815238



WORK POSITIONING LANYARDS










EXTREME
GRIPPA ARC FLASH
FS053A



FEATURES:

WORK POSITIONING LANYARD MADE WITH TECHNORA® ROPE - 11MM (STATIC)
 WITH TUBULAR WEBBING PROTECTION - KEVLAR®
 ADJUSTABLE ALUMINIUM DEVICE GRIPPA
 CONTRASTING SEAMS FOR EASIER INSPECTION
 SEAMS PROTECTOR
 INCLUDES ALUMINIUM CONNECTORS - MULTIPLE COMBINATION POSSIBILITIES ON REQUEST
 UP TO 20 METERS

			
+ CONNECTOR POSSIBILITIES	ALU	140 kg	TECHNORA® Ø 11MM
	KG		EAN
AC-2M	1.50	5605423807196	
			EN358 ASTM F887










PROFESSIONAL
GRIPPA
FS053K



FEATURES:

WORK POSITIONING LANYARD MADE WITH STATIC ROPE - 11MM (CORE PA + COVER PES)
 WITH TUBULAR WEBBING PROTECTION - POLYESTER
 ADJUSTABLE ALUMINIUM DEVICE GRIPPA
 CONTRASTING SEAMS FOR EASIER INSPECTION
 SEAMS PROTECTOR
 INCLUDES ALUMINIUM CONNECTORS - MULTIPLE COMBINATION POSSIBILITIES ON REQUEST
 UP TO 20 METERS

			
+ CONNECTOR POSSIBILITIES	ALU	140 kg	PA + PES Ø 11MM
	KG		EAN
AC-2M	1.50	5605423259933	
AC-3M	1.60	5605423300369	EN358
AC-4M	1.70	5605423300376	










PROFESSIONAL
LITE
FS054



FEATURES:

WORK POSITIONING LANYARD MADE WITH STATIC ROPE
-11MM (CORE PA + COVER PES)
WITH MANUAL ALUMINIUM DEVICE - 8-RING
CONTRASTING SEAMS FOR EASIER INSPECTION
SEAMS PROTECTOR
INCLUDES ALUMINIUM CONNECTORS - MULTIPLE
COMBINATION POSSIBILITIES ON REQUEST
STATIC ROPE -11MM

			
+ CONNECTOR POSSIBILITIES	ALU	120 kg	PA + PES Ø 11MM
	KG		EAN
CC-2M	0.75	5605423820911	
			EN358



PROFESSIONAL
MAX PRO
FS083



FEATURES:

WORK POSITIONING LANYARD WITH STATIC ROPE -11MM
(CORE PA + COVER PES)
WITH TUBULAR WEBBING PROTECTION - POLYESTER
MANUAL ALUMINIUM DEVICE MAX PRO
CONTRASTING SEAMS FOR EASIER INSPECTION
SEAMS PROTECTOR
INCLUDES ALUMINIUM CONNECTORS - MULTIPLE
COMBINATION POSSIBILITIES ON REQUEST
UP TO 20 METERS

			
+ CONNECTOR POSSIBILITIES	ALU	120 kg	PA + PES Ø 11MM
	KG		EAN
AC-2M	1.20	5605423803648	
AC-3M	1.30	5605423803952	EN358
AC-4M	1.40	5605423803969	



BASIC LANY FS052H



FEATURES:

WORK POSITIONING LANYARD WITH STATIC ROPE - 14MM
 THERMAL RETRACTABLE SLEEVE SEAMS PROTECTOR
 ONE HAND OPERATED STEEL ALLOY DEVICE
 CONTRASTING SEAMS FOR EASIER INSPECTION
 INCLUDES STEEL ALLOY CONNECTORS - MULTIPLE
 COMBINATION POSSIBILITIES ON REQUEST
 UP TO 20 METERS



+ CONNECTOR
POSSIBILITIES



ST



140 kg



PES
Ø 14MM



KG



EAN



EN358

LM-2M	0.95	5605423300277
LM-3M	1.10	5605423300260
LM-4M	1.15	5605423300253





FS









LANYARDS

PROFESSIONAL
COWTAIL
FS513




FEATURES:

WITH MULTIPLE APPLICATIONS, COWTAIL IS SPECIALLY DESIGNED FOR ROPE ACCESS
 WITH A CONNECTOR POSITIONING IN SILICONE FOR THE CONNECTOR TO BE KEPT ON PLACE
 MADE WITH DYNAMIC ROPE 11MM
 CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
 WITH SEAMS PROTECTOR
 INCLUDES A TRIANGULAR QUICK LINK FS33561 IN STEEL ALLOY

			
+ CONNECTOR POSSIBILITIES	ALU	MAX. 140 kg	PA Ø 11MM
			
600x300	1.00	5605423809749	EN354











PROFESSIONAL
CANYARO
FS080



FEATURES:

DOUBLE LANYARD WITH ONE LEG SHORTER AND OTHER LONGER FOR ROPE ACCESS ACTIVITIES
 WITH A CONNECTOR POSITIONING IN SILICONE FOR THE CONNECTOR TO BE KEPT ON PLACE
 POLYAMIDE STATIC ROPE - 11MM
 CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
 WITH SEAMS PROTECTOR
 LENGTH: 650MM/ 300MM

			
+ CONNECTOR POSSIBILITIES	ALU	MAX. 120 kg	PA Ø 11MM
			
650x300	0.13	5605423820638	EN354



PROFESSIONAL
STRETX EVO
FS511



FEATURES:

SINGLE LANYARD
MADE WITH RETRACTABLE TUBULAR WEBBING IN POLYESTER 27MM
CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
WITH PES ENERGY ABSORBER - EVA CASING
INCLUDES ALUMINIUM ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
LENGTH: 1.80M



	KG	EAN	CE
TB-1.8M	1.10	5605423808988	EN354 EN355
CB-1.8M	1.10	5605423808971	
FB-1.8M	1.12	5605423814934	



PROFESSIONAL
Y STRETX EVO
FS512



FEATURES:

DOUBLE LANYARD
MADE WITH RETRACTABLE TUBULAR WEBBING IN POLYESTER 27MM
CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
WITH PES ENERGY ABSORBER - EVA CASING
INCLUDES ALUMINIUM ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
LENGTH: 1.80M



	KG	EAN	CE
TB-1.8M	1.40	5605423809916	EN354 EN355
CB-1.8M	1.40	5605423809909	
FB-1.8M	1.42	5605423814941	



PROFESSIONAL
**STREAMLINE
FS595**



FEATURES:

- SINGLE LANYARD
- RETRACTABLE TUBULAR WEBBING - PES 40MM
- CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
- INTEGRATED PES ENERGY ABSORBER
- INCLUDES ALUMINIUM ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- LENGTH UP TO 2 METERS



	KG	EAN	CE
AB-1M	0.85	5605423701357	EN354 EN355
AB-1.5M	1.28	5605423700671	
AB-2M	1.70	5605423700657	



PROFESSIONAL
**Y STREAMLINE
FS596**



FEATURES:

- DOUBLE LANYARD
- RETRACTABLE TUBULAR WEBBING - PES 40MM
- CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
- INTEGRATED PES ENERGY ABSORBER
- INCLUDES ALUMINIUM ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- LENGTH UP TO 1.75 METERS



	KG	EAN	CE
AB-1M	1.36	5605423701333	EN354 EN355
AB-1.5M	1.90	5605423700718	
AB-1.75M	2.00	5605423820249	










PROFESSIONAL
EDGE
FS521R



FEATURES:

- SINGLE LANYARD
- POLYAMIDE STATIC ROPE - 12MM (COVER PES)
- CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
- WITH PES ENERGY ABSORBER - EVA CASING
- INCLUDES ALUMINIUM ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- SEAMS PROTECTOR
- TESTED OVER A 0.5MM EDGE - SUITABLE FOR WORKING WITH SHARP EDGES
- LENGTH UP TO 2 METERS

			
+ CONNECTOR POSSIBILITIES	ALU	140 kg	PA Ø 12MM
	KG		EAN
AB-1.5M	1.44	5605423753806	 EN354 EN355 CNB/P/11.074
AB-2M	1.92	5605423753776	



PROFESSIONAL
EDGE Y
FS522R



FEATURES:

- DOUBLE LANYARD
- POLYAMIDE STATIC ROPE - 12MM (COVER PES)
- CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
- WITH PES ENERGY ABSORBER - EVA CASING
- INCLUDES ALUMINIUM ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- SEAMS PROTECTOR
- TESTED OVER A 0.5MM EDGE - SUITABLE FOR WORKING WITH SHARP EDGES
- LENGTH UP TO 2 METERS

			
+ CONNECTOR POSSIBILITIES	ALU	140 kg	PA Ø 12MM
	KG		EAN
AB-1.5M	1.97	5605423753783	 EN354 EN355 CNB/P/11.074
AB-2M	2.63	5605423753790	



PROFESSIONAL
WEBB
FS501



FEATURES:

- SINGLE LANYARD
- POLYESTER WEBBING - 25MM
- CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
- WITH PES ENERGY ABSORBER - EVA CASING
- INCLUDES ALUMINIUM ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- MANUAL ADJUSTMENT DEVICE
- LENGTH: 1.40 - 2 METERS

			
+ CONNECTOR POSSIBILITIES	ALU	100 kg	PES 25MM
	KG		EAN
AB	0.78	5605423360677	 EN354 EN355
CB	0.92	5605423360721	










PROFESSIONAL
WEBB Y
FS502



FEATURES:

- DOUBLE LANYARD
- POLYESTER WEBBING - 25MM
- CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
- WITH PES ENERGY ABSORBER - EVA CASING
- INCLUDES ALUMINIUM ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- LENGTH UP TO 2 METERS

			
+ CONNECTOR POSSIBILITIES	ALU	100 kg	PES 25MM
	KG		EAN
AB-1M	1.10	5605423751475	 EN354 EN355
AB-1.5M	1.20	5605423360752	
AB-2M	1.30	5605423360714	








EXTREME
ARC FLASH
FS525




FEATURES:

- DOUBLE LANYARD
- SUITABLE FOR ENVIRONMENTS WHERE THERE IS A RISK OF ELECTRICAL ARC FLASH - TESTED ASTM F887
- MADE WITH KEVLAR® AND NOMEX® WEBBING FOR ARC FLASH ENVIRONMENTS
- CONTRASTING SEAMS FOR EASIER INSPECTION
- WITH ENERGY ABSORBER
- DIELECTRIC CONNECTOR AND HOOKS
- LENGTH UP TO 2 METERS

		
DIELECTRIC	140 kg	KEVLAR 44MM
		
QS-2M 1.60	5605423362244	
		EN354 EN355









EXTREME
KEVLAR
FS502KEV



FEATURES:

- DOUBLE LANYARD
- DESIGNED FOR WELDERS AND WORKERS THAT ARE EXPOSED TO FIRE, FLAMES AND ASSOCIATED WELDING PROCESSES
- MADE WITH KEVLAR® AND NOMEX® WEBBING ANTIFLAME
- CONTRASTING SEAMS FOR EASIER INSPECTION
- WITH KEVLAR® ENERGY ABSORBER
- ALUMINIUM ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- LENGTH UP TO 2 METERS

		
+ CONNECTOR POSSIBILITIES	140 kg	KEVLAR 44MM
		
AB-2M 1.90	5605423362107	
		EN354 EN355



EXTREME
ATEX
FS502ATEX



FEATURES:

- DOUBLE LANYARD
- DESIGNED FOR ATEX ENVIRONMENTS (EN60079-0+A11)
- MADE WITH ANTISTATIC WEBBING
- CONTRASTING SEAMS FOR EASIER INSPECTION
- WITH ANTISTATIC ENERGY ABSORBER
- INCLUDES ALUMINIUM ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- LENGTH UP TO 2 METERS



ALU



140 kg



ANTISTATIC
45MM



2M

KG

1.60



EAN

5605423362176



EN354
EN355
EN60079-0+A11



EXTREME
TUFF
FS531



FEATURES:

- DOUBLE LANYARD
- DESIGNED TO RESIST DIRTY ENVIRONMENTS AND CHEMICAL ATTACKS SUCH AS OIL, PAINT AND BACTERIA
- MADE WITH POLYESTER + BIOTHANE® WEBBING WHICH MAKES IT EASIER TO CLEAN
- CONTRASTING SEAMS FOR EASIER INSPECTION
- WITH PES ENERGY ABSORBER
- INCLUDES ALUMINIUM ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- LENGTH UP TO 2 METERS



+ CONNECTOR
POSSIBILITIES



ALU



140 kg



BIOTHANE
44MM



AB-1M

KG

1.30



EAN

5605423801491

AB-1.5M

1.60

5605423600063

AB-2M

1.90

5605423600032



EN354
EN355



BASIC
CHIMANGO 4
FS519



FEATURES:

- SINGLE LANYARD
- MADE WITH POLYAMIDE STATIC ROPE - 11MM (COVER PES)
- CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
- WITH PES ENERGY ABSORBER
- SEAMS PROTECTOR
- INCLUDES STEEL ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- LENGTH UP TO 2 METERS



	KG	EAN	CE
LN-1M	0.85	5605423701036	EN354 EN355
LN-1.5M	1.10	5605423700794	
LN-2M	1.35	5605423753875	



BASIC
CHIMANGO 5 Y
FS550



FEATURES:

- DOUBLE LANYARD
- MADE WITH POLYAMIDE STATIC ROPE - 11MM (COVER PES)
- CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
- WITH PES ENERGY ABSORBER
- SEAMS PROTECTOR
- INCLUDES STEEL ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- LENGTH UP TO 2 METERS



	KG	EAN	CE
LN-1M	1.11	5605423701142	EN354 EN355
LN-1.5M	1.67	5605423700817	
LN-2M	2.23	5605423701159	



BASIC
CHIMANGO 2
FS510



FEATURES:

- SINGLE LANYARD
- MADE WITH POLYESTER WEBBING - 27 MM
- CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
- WITH PES ENERGY ABSORBER
- STEEL ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- LENGTH UP TO 2 METERS






	KG	EAN	CE
LN-1M	0.80	5605423700848	EN354 EN355
LN-1.5M	1.10	5605423700770	
LN-2M	1.30	5605423700701	



BASIC
CHIMANGO 2 Y
FS516



FEATURES:

- DOUBLE LANYARD
- MADE WITH POLYESTER WEBBING - 27 MM
- CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
- WITH PES ENERGY ABSORBER
- STEEL ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- LENGTH UP TO 2 METERS






	KG	EAN	CE
LN-1M	1.06	5605423700855	EN354 EN355
LN-1.5M	1.59	5605423700763	
LN-2M	2.12	5605423700961	



BASIC
JYNX 4
FSO32



FEATURES:

- SINGLE LANYARD
- MADE WITH POLYESTER WEBBING - 27 MM
- CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
- STEEL ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- LENGTH UP TO 2 METERS






	KG	EAN	CE
LN-1M	0.32	5605423731057	EN354
LN-1.5M	0.40	5605423730807	
LN-2M	0.48	5605423730814	



BASIC
JYNX 5
FSO38



FEATURES:

- DOUBLE LANYARD
- MADE WITH POLYESTER WEBBING - 27 MM
- CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
- STEEL ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- LENGTH UP TO 2 METERS






	KG	EAN	CE
LN-1M	1.10	5605423731255	EN354
LN-1.5M	1.40	5605423731248	
LN-2M	1.60	5605423731262	









BASIC
JYNX 1
FS030



FEATURES:

- SINGLE LANYARD WITH MANUAL ADJUSTABLE 8-RING DEVICE IN STEEL ALLOY
- MADE WITH POLYESTER STATIC ROPE -11MM
- CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
- SEAMS PROTECTOR
- STEEL ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- LENGTH UP TO 2 METERS

			
+ CONNECTOR POSSIBILITIES	ST	120 kg	PES Ø 11MM
	KG		CE
LN	0.95	5605423730913	EN358









BASIC
JYNX 3
FS087



FEATURES:

- DOUBLE LANYARD
- MADE WITH POLYESTER STATIC ROPE -11MM
- CONTRASTING GREEN SEAMS FOR EASIER INSPECTION
- SEAMS PROTECTOR
- STEEL ALLOY CONNECTORS - MULTIPLE CONNECTOR POSSIBILITIES ON REQUEST
- LENGTH UP TO 2 METERS

			
+ CONNECTOR POSSIBILITIES	ST	120 kg	PES Ø 11MM
	KG		CE
LN-1M	0.90	5605423731668	EN354
LN-1.5M	1.10	5605423731651	
LN-2M	1.25	5605423731675	



BASIC
FIXO
FS082



FEATURES:

SINGLE LANYARD

MADE WITH POLYESTER STATIC ROPE - 11MM

CONTRASTING GREEN SEAMS FOR EASIER INSPECTION

SEAMS PROTECTOR

ALUMINIUM ALLOY CONNECTORS - MULTIPLE CONNECTOR
 POSSIBILITIES ON REQUEST

LENGTH UP TO 1.50 METERS



KG



LN-1M
 LN-1.5M

0.70
 0.75

5605423731477
 5605423731460





FS FS33574 ↔ 25kN
EN362:2004-B | EN12275:2013-B
CE 0598 0623

CONNECTORS

**SWIVEL ORANGE
FS33371**

CE
N/A



KG **kN** **EAN**
0.17 30 5605423640892

**SWIVEL MOUNTED ON
FS33370**

CE
N/A



KG **kN** **EAN**
0.17 30 5605423640892

**ALUMINIUM ALLOY
FS33555-3L**

CE
EN362 B



KG **kN** **EAN**
0.12 23/13 5605423641035

**ALUMINIUM ALLOY XL
FS831**

CE
EN362 A/T



KG **kN** **EAN**
0.97 28 5605423400014

**ALUMINIUM ANKOR
FS830**

CE
EN362 A/T
EN795-B



KG **kN** **EAN**
0.49 20 5605423801248

**ALUMINIUM ALLOY
FS821**

CE
EN362 B



KG **kN** **EAN**
0.51 23 5605423400007

**XFORCE ALU REBAR
FS824**

CE
EN362-A



62MM	AUTO	ALU	
KG	kN		EAN
0.64	23	5605423809923	

**ZINC PLATED PIPE
FS843**

CE
EN362-A



54MM	AUTO	ST	
KG	kN		EAN
0.51	25	5605423400168	

**ZINC PLATED SNAP
FS836**

CE
EN362-A



85MM	AUTO	ST	
KG	kN		EAN
0.90	25	5605423400229	

**ALUMINIUM ALLOY
FS33562**

CE
EN362-T



22MM	AUTO	ALU	
KG	kN		EAN
0.14	25	5605423820386	

**ALUMINIUM ALLOY
FS826**

CE
EN362-T



22MM	AUTO	ALU	
KG	kN		EAN
0.16	25	5605423400076	

**ZINC PLATED SNAP
FS825**

CE
EN362-T
EN12275-D



21MM	AUTO	ST	
KG	kN		EAN
0.24	25	5605423400069	

**OVAL ALUMINIUM
FS33570**

CE
EN362-B
EN12275-B



21MM SCREW ALU
KG **kN** **EAN**
0.10 24/8 5605423806441

**OVAL ALUMINIUM
FS33569**

CE
EN362-B
EN12275-B



21MM AUTO TWIST ALU
KG **kN** **EAN**
0.10 24/8 5605423812084

**OVAL ALUMINIUM
FS33571**

CE
EN362-B
EN12275-B



21MM AUTO TRIPLE ALU
KG **kN** **EAN**
0.10 24/8 5605423806458

**OVAL STEEL
FS33501**

CE
EN362-B
EN12275-B



18MM SCREW ALU
KG **kN** **EAN**
0.17 25/7 5605423810844

**OVAL STEEL
FS33580**

CE
EN362-B
EN12275-B



19MM AUTO TWIST ALU
KG **kN** **EAN**
0.17 25/7 5605423809961

**OVAL STEEL
FS33581**

CE
EN362-B
EN12275-B



19MM AUTO TRIPLE ALU
KG **kN** **EAN**
0.17 25/7 5605423806519

**D-SHAPE ALUMINIUM
FS33573**

CE
EN362-B
EN12275-B



19MM
 SCREW
 ALU
 A

KG **KN** EAN

0.08 25/7 5605423812060

**D-SHAPE ALUMINIUM
FS33574**

CE
EN362-B
EN12275-B



20MM
 AUTO TWIST
 ALU
 T

KG **KN** EAN

0.10 25/7 5605423806465

**D-SHAPE ALUMINIUM
FS33575**

CE
EN362-B
EN12275-B



20MM
 AUTO TRIPLE
 ALU

KG **KN** EAN

0.10 25/7 5605423806472

**D-SHAPE STEEL
FS33582**

CE
EN362-B
EN12275-B



19MM
 SCREW
 ST

KG **KN** EAN

0.17 30/9 5605423806526

**D-SHAPE STEEL
FS33500**

CE
EN362-B
EN12275-B



19MM
 AUTO TWIST
 ST

KG **KN** EAN

0.18 30/9 5605423812022

**D-SHAPE STEEL
FS33583**

CE
EN362-B
EN12275-B



19MM
 AUTO TRIPLE
 ST

KG **KN** EAN

0.17 30/9 5605423806533

**HMS ALUMINIUM
FS33576**

CE
EN362-B
EN12275-B



KG **KN** **EAN**
0.08 30/8 5605423806489

**HMS ALUMINIUM
FS33577**

CE
EN362-B
EN12275-B



KG **KN** **EAN**
0.09 30/8 5605423806496

**HMS ALUMINIUM
FS33572**



CE
EN362-B
EN12275-B



KG **KN** **EAN** **F**
0.85 30/8 5605423806502

**HMS STEEL
FS33584**

CE
EN362-B
EN12275-B



KG **KN** **EAN**
0.22 35/7 5605423806540

**HMS STEEL
FS33585**

CE
EN362-B
EN12275-B



KG **KN** **EAN**
0.22 35/7 5605423806557

**HMS STEEL
FS33586**

CE
EN362-B
EN12275-B



KG **KN** **EAN**
0.22 35/7 5605423806564

**QUICK LINK
FS802QL**

CE
EN362-B
EN12275-B



16MM SCREW ST
KG kN **EAN**
0.06 25 5605423400144

**HALF MOON MAILON
FS893**

CE
EN362-Q
EN12275-Q



10MM SCREW ST
KG kN **EAN**
0.17 45 5605423349993

**STANDARD RAPIDE
FS894**

CE
EN362-Q
EN12275-Q



11MM SCREW ST
KG kN **EAN**
0.08 35 5605423450552

**QUICK LINK TRIANGULAR
FS33561**

CE
EN362-Q
EN12275-Q



10MM SCREW ST
KG kN **EAN**
0.09 28 5605423820782

**4-SLOT ANCHOR PLATE
FS33351**

CE
CNB/P/11.114
Revision 2



N/A N/A ALU
KG kN **EAN**
0.18 36 5605423640250

**8-SLOT ANCHOR PLATE
FS33353**

CE
CNB/P/11.114
Revision 2



N/A N/A ALU
KG kN **EAN**
0.21 50 5605423640267



DESCENDERS

SPARROW 200R FS33344

FEATURES:

SELF BREAKING DESCENDER
USE ONLY WITH EN1891-A ROPES
WORK LOAD 150KG
MAX. RATED LOAD 200KG



ALU



EN341-2A
EN12841-C



KG **kN** **EAN**

0.59 N/A 5605423820737

DSD PLUS FS33300

FEATURES:

DOUBLE STOP DESCENDER
USE ONLY WITH EN1891-A ROPES
MAX. RATED LOAD 200KG
MIN. RATED LOAD 30KG



ALU



EN341-2A
EN12841-C
ANSI Z359.4



KG **kN** **EAN**

0.46 N/A 5605423640076

LORY SAFE FS33381

FEATURES:

SELF BREAKING DESCENDER
USE ONLY WITH EN1891-A ROPES
MAX. RATED LOAD 225KG



ALU



EN341-2A
EN12841-C
EN795



KG **kN** **EAN**

0.23 N/A 5605423640908

FIGURE 8 ADVANCE FS33361

FEATURES:

MANUAL DESCENDER
USE ONLY WITH EN1891-A ROPES



ALU



EN15151-2-2A



KG **kN** **EAN**

0.24 40 5605423640885

FIGURE 8 FS33360

FEATURES:

MANUAL DESCENDER
USE ONLY WITH EN1891-A ROPES



ALU



EN15151-2-2A



KG **kN** **EAN**

0.13 35 5605423640106

ROPE CLAMPS & ROPE GRABS



GABBRO SERIES FS33320

FEATURES:

LIGHT AND COMPACT
USE ONLY WITH EN1891-A ROPES
MAX. RATED LOAD 120KG



FS	KG	KN	EAN
FS33320	0.19	N/A	5605423640878
KIT20	0.32	N/A	5605423807097
KIT40	0.50	N/A	5605423807103



CLAW VENTRAL ROPE CLAMP KIT FS8050/ FS8051

FEATURES:

EASY TO INSTALL
USE ONLY WITH EN1891-A ROPES
MAX. RATED LOAD 100KG
COMPATIBLE WITH: FS243 SERIES/ FS2010
FS8050 - COLOR LIME ●
FS8051 - COLOR BLACK ●



FS	KG	KN	EAN
FS8050	0.20	N/A	5605423820294
FS8051	0.20	N/A	5605423802115



ONYX PRO FS33330/ FS33331

FEATURES:

LIGHT AND COMPACT
USE ONLY WITH EN1891-A ROPES
MAX. RATED LOAD 100KG
FS33330 - LEFT HAND
FS33331 - RIGHT HAND



FS	KG	KN	EAN
FS33330	0.20	N/A	5605423820294
FS33331	0.20	N/A	5605423640120



STEEL GRAB FS841

FEATURES:

USE ONLY WITH ROPE FS650
MAX. RATED LOAD 100KG



KG	KN	EAN
0.59	N/A	5605423753424



PULLEYS



**MICRO ALLOY PULLEY
FS33400**

FEATURES:


SHEAVE MOUNTED ON SELF-LUBRICATING BUSHING;
OSCILLATING SIDE PLATE



USE W/ ROPE
UP TO
Ø 13 MM



ALU
CE
EN12278

KG **kN**  **EAN**
0.09 30 5605423640168

**ALLOY PULLEY
FS33405**

FEATURES:

TWIN SHEAVES MOUNTED ON BALL BEARING;
UP TO 3 CONNECTORS CAN BE CONNECTED ON THE LARGEST EYELET;
OSCILLATING SIDE PLATE



USE W/ ROPE
UP TO
Ø 13 MM



ALU
CE
EN12278

KG **kN**  **EAN**
0.22 32 5605423640212

**ALLOY PULLEY
FS33341**

FEATURES:


UP TO 3 CONNECTORS ON THE LARGEST EYELET;
SHEAVES MOUNTED WITH BALL BEARING;
STRONG AND VERSATILE
OSCILLATING SIDE PLATE;



USE W/ ROPE
UP TO
Ø 13 MM



ALU
CE
EN12278

KG **kN**  **EAN**
0.31 50 5605423820324

**DUETTO PULLEY
FS33403**

FEATURES:

LIGHT AND COMPACT;
FEATURES ADDITIONAL ATTACHMENT POINT;
UP TO 3 KARABINERS IN THE UPPER EYELET



USE W/ ROPE
UP TO
Ø 13 MM



ALU
CE
EN12278

KG **kN**  **EAN**
0.13 25 5605423640199

ANCHORAGES



ROTA FS-LDV-029

FEATURES:

FREE ROTATION
FOR INDOOR/ OUTDOOR
FOR ONE USER ONLY
MAX. RATED LOAD 120KG
FALL INDICATOR



ST




KG **kN** **EAN**
0.29 25 5605423751192



2 ANCHOR FS703

FEATURES:

FIXED ANCHOR
FOR INDOOR/ OUTDOOR
FOR UP TO TWO USERS



ALU



KG **kN** **EAN**
0.40 12 5605423420388



PERMANENT ANCHOR FS701-PACK

FEATURES:

PERMANENT ANCHOR POINT
FOR INDOOR/ OUTDOOR
FOR ONE USER ONLY
MAX. RATED LOAD 120KG



AISI 316L




FS **KG** **kN** **EAN**
UNIT 0.06 25/15 5605423804874
10 PACK 0.60 25/ 15 5605423420012



ROOF ANCHOR FS704

FEATURES:

PERMANENT ANCHOR POINT
SUITABLE FOR OUTDOOR
ADAPTABLE FOR ALL TYPES OF TILES
FOR ONE USER ONLY
MAX. RATED LOAD 120KG



ST



KG **kN** **EAN**
0.41 N/A 5605423420395



SLING FS800

FEATURES:

ANCHOR SLING WITH 25 MM WEBBING
POLYESTER
LOAD BEARING STITCHES
MAX. RATED LOAD 120KG
FALL INDICATOR




Length	KG	kN	EAN
1M	0.11	22	5605423420029
1.5M	0.15	22	5605423820799
2M	0.19	22	5605423420036



STATIO FS801

FEATURES:

45 MM POLYESTER WEBBING SLING
D-RING CONNECTOR
DESIGNED FOR HEAVY DUTY USE



Length	KG	kN	EAN
1M	0.34	22	5605423420043
1.5M	0.36	22	5605423270617
2M	0.38	22	5605423420050



FILUM ANCHOR WIRE FS803

FEATURES:

GALVANIZED STEEL WIRE 8MM
LENGTH MIN. 0.5M TO MAX. 5M
CONNECTOR INCLUDED




Length	KG	kN	EAN
1M	0.60	12	5605423420401
1.5M	0.75	12	5605423420272
2M	2.00	12	5605423420258



STO FS808

FEATURES:

20MM HEAT AND CUT RESISTANT
DYNEEMA® WEBBING
HIGH ABRASION RESISTANCE



Length	KG	kN	EAN
1M	0.09	22	5605423800524
1.5M	0.10	22	5605423753844
2M	0.12	22	5605423805420



FIXED BEAM FS861

FEATURES:

ONE USER ONLY
FITS STEEL BEAMS
MAX. RATED LOAD 140KG
HIGH TENSILE ALLOY



ALU




↔ **KG** **kN** **EAN**
64-457MM 2.83 - 5605423349986



RUNNER BEAM FS874

FEATURES:

ONE USER ONLY
PERFECT OVERHEAD
MAX. RATED LOAD 140KG
HIGH TENSILE ALLOY



ALU



↔ **KG** **kN** **EAN**
64-457MM 3.38 - 5605423820539



GLIDING BEAM FS860

FEATURES:

ONE USER ONLY
CENTER POSITIONING
MAX. RATED LOAD 140KG
HIGH TENSILE ALLOY



ALU



↔ **KG** **kN** **EAN**
64-457MM 3.38 - 5605423400199



WOOD POLE SLING FS331

FEATURES:

EASY TO INSTALL
MAX. RATED LOAD 120KG



PES



ALU



↔ **KG** **kN** **EA**
500MM 0.27 - 5605423807233



SAFEWALK - PORTABLE LIFELINE FS804

FEATURES:

PORTABLE HORIZONTAL LIFELINE FOR 2 USERS

ALLOWS THE USE TO ADJUST THE LENGTH DESIRED TO A MAXIMUM OF 20 METERS, WITH A WEB TENSIONER

COMPONENTS: 2 ANCHORS STROPS + 2 KARABINERS + PES CARRING BAG



PES



ST



KG



EAN

5M	1.20	5605423420128
10M	2.30	5605423420081
20M	4.60	5605423420098



SAFEWALK BASIC - PORTABLE LIFELINE FS807

FEATURES:

PORTABLE HORIZONTAL LIFELINE FOR 2 USERS

ALLOWS THE USE TO ADJUST THE LENGTH DESIRED TO A MAXIMUM OF 20 METERS, WITH A WEB TENSIONER

COMPONENTS: 2 KARABINERS



PES



ST



KG



EAN

10M	2.06	5605423803556
15M	2.36	5605423804348
20M	4.20	5605423753547



EXPAND ANCHOR FS881

FEATURES:

EXPANDER BOLT 20MM

PORTABLE ANCHORAGE FOR CONCRETE

MAXIMUM LOAD 140KG

USED IN VERTICAL/ HORIZONTAL/ OVERHEAD/ CEILING SURFACES



ST



KG



EAN

0.20 5605423610130



TOGGLE ANCHOR FS883

FEATURES:

EXPANDER BOLT 20MM

PORTABLE ANCHORAGE FOR CONCRETE

MAXIMUM LOAD 140KG

USED IN VERTICAL/ HORIZONTAL/ OVERHEAD/ CEILING SURFACES



ST



KG



EAN

0.15 5605423820348





ANCHOR LINES

PROFESSIONAL
GRAB ON
FS600



§ A
FS33573

§ A
FS33573

FEATURES:

- WITH PES ENERGY ABSORBER
- ALUMINIUM KARABINER INCLUDED
- PA6 ROPE PROTECTOR
- PA STATIC ROPE 11MM



KG



5M	0.35	5605423320008
10M	0.45	5605423320015
20M	0.80	5605423320039



PROFESSIONAL
EDGE GRAB ON
FS602



§ A
FS33573

§ A
FS33573

FEATURES:

- SHARP EDGE TESTED (HORIZONTAL R > 0.5MM)
- WITH PES ENERGY ABSORBER
- ALUMINIUM KARABINER INCLUDED
- PA6 ROPE PROTECTOR
- PA STATIC ROPE 12MM



KG



5M	0.50	5605423321135
10M	1.00	5605423320947
20M	1.20	5605423320923



PROFESSIONAL
ROOFWALKER
FS735



§ B
FS821

§ B
FS821

§ A
FS33573

FEATURES:

- SHARP EDGE TESTED (HORIZONTAL R > 0.5MM)
- GRIPPA LENGTH ADJUSTER
- WITH PES ENERGY ABSORBER
- ALUMINIUM ALLOY CONNECTORS
- PA6 ROPE PROTECTOR
- PA STATIC ROPE 12MM



KG



EAN

5M	2.35	5605423610055
10M	4.10	5605423610062
20M	8.90	5605423610086



PROFESSIONAL
PURE
FS630



§ A
FS33573

FEATURES:

- ALUMINIUM KARABINER INCLUDED
- PA6 ROPE PROTECTOR
- PA STATIC ROPE 12MM



KG



EAN

5M	0.60	5605423320244
10M	1.83	5605423320251
20M	1.93	5605423320275



BASIC
BRANTA 1
FS670



FEATURES:

- STAINLESS STEEL ROPE GRAB W/ PES ENERGY ABSORBER
- SUPPLIED WITHOUT CONNECTORS
- POLYESTER STATIC ROPE 11MM
- LENGTH UP TO 200 METERS
- PA6 ROPE PROTECTOR



+ CONNECTOR
POSSIBILITIES



ST



140 kg



PA
11MM



KG



EAN

10M	2.00	5605423753431
20M	3.70	5605423753455
30M	4.80	5605423754100



EN353-2



BASIC
BRANTA
FS650



FEATURES:

- SUPPLIED WITHOUT CONNECTORS
- USE WITH ROPE GRAB FS841
- POLYESTER STATIC ROPE 14MM
- LENGTH UP TO 50 METERS
- PA6 ROPE PROTECTOR



+ CONNECTOR
POSSIBILITIES



-



100 kg



PES
14MM



KG



EAN

10M	1.12	5605423753370
20M	3.68	5605423753394
30M	6.24	5605423754094



EN353-2



RESCUE & EVACUATION



PROFESSIONAL
TRIANGEL
FS34107



FEATURES:

- 100% POLYESTER 45MM
- UNIVERSAL SIZE
- 5 ADJUSTMENT POINTS
- 4 STEEL ALLOY D-RING



ST



140 kg



PES
45MM



1x1M

KG

1.32



EAN

5605423807776



EN1498
EN1497



PROFESSIONAL
FLADDERMUS
FS34108



FEATURES:

- HIGH VIS PES WEBBING 45MM
- COMPACT AND CAN BE WRAPPED
- FEET SUPPORT
- 4 ADJUSTMENT POINTS, 4 CARRYING POINTS AND 8 LIFTING POINTS
- PE HD BODY



-



140 kg



PES
45MM



0.5x0.3x2M

0.3x0.92M
(wrapped)

KG

6.00



EAN

5605423808278



REGULATION
(EU) 2017/745
CLASS 1 MD



PROFESSIONAL
BO
FS34109



FEATURES:

- 3 ALLOY D-RING (1 EN361/ 1+1 EN1497)
- INTEGRATED RESCUE HARNESS FS236.1
- STRETCHER LENGTH ADJUSTABLE
- RIGID PE-HD PLATE ON THE BACK
- IMMOBILIZER STRETCHER
- 10 ADJUSTMENT POINTS



ALU



140 kg



PES
45MM



1x1M

KG

5.30



EAN

5605423808353



EN361
EN1497
REG(EU)2017/745
CLASS 1 MD



PROFESSIONAL
STRETCHER KIT
FS34110



FEATURES:

- FALL SAFE® STRETCHER KIT COMPOSED BY:
- 1 PC FS34108 FLADDERMUS STRETCHER
 - 1 PC FS34109 BO IMMOBILIZER STRETCHER
 - 2 PCS FS038A-TC-2M LANYARD W/ MANUAL ADJUSTMENT
 - 1 PC FS8215 FLADDERMUS CARRYING BAG
 - 1 PC FS806 RESCUE Y-PAD



-



140 kg



PES
45MM



-

KG

15.00



EAN

5605423809008



PROFESSIONAL
VERT
FS236



FEATURES:

- ALU ALLOY D-RING AT SHOULDER FOR RESCUE
- PES WEBBING 45MM WATER REPELLENT
- STEEL 45° D-RING AT BACK
- 5 ADJUSTMENT POINTS
- FALL INDICATOR
- AVAILABLE FS236.01 UNIVERSAL SIZE WITH IZY BUCKLES



ST+ALU



140 kg



PES
45MM



KG



EAN



EN1498
EN1497

S/M	1.50	5605423820140
L/XL	1.80	5605423820133
XXL	2.10	5605423820164



PROFESSIONAL
Y-PAD
FS806



FEATURES:

- PES WEBBING 25MM
- STAINLESS STEEL SPREAD BAR
- 2 PCS FS33571 ALUMINIUM HOOKS W/ TRIPLE LOCK
- SUITABLE FOR USE WITH FS236/ FS236.01/ FS34108



ST



140 kg



PES
25MM



KG



EAN



EN354

-	0.85	5605423550191
---	------	---------------



PROFESSIONAL
RESCUE KEY
FS908



FEATURES:

REMOTE RESCUE OF VICTIM

INTEGRATED LIGHTWEIGHT WINCH SYSTEM RATIO 4:1

INCLUDES:

- 1 PC PES ANCHOR SLING
- 2 PCS ALU KARABINER
- 1 PC SPARROW DESCENDER
- 1 PC WINCH SYSTEM

OTHER LENGTHS AVAILABLE



200 kg



1 USER



KG



EAN



EN341-2D

20M	3.60	5605423813548
30M	3.95	5605423813555
40M	4.45	5605423813913



PROFESSIONAL
RESCUE FIT
FS909



FEATURES:

REMOTE RESCUE OF VICTIM

INTEGRATED LIGHTWEIGHT WINCH SYSTEM RATIO 4:1

INCLUDES:

- 1 PC PES ANCHOR SLING
- 2 PCS ALU KARABINER
- 1 PC SPARROW DESCENDER
- 1 PC RESCUE POLE (0.8 - 3.6M)
- 1 PC WINCH SYSTEM

OTHER LENGTHS AVAILABLE



200 kg



1 USER



KG



EAN



EN341-2D

20M	3.95	5605423800876
30M	6.25	5605423800883
40M	8.25	5605423814088



PROFESSIONAL
PULL SAFE
FS900RA



FEATURES:

INTEGRATED LIGHTWEIGHT WINCH SYSTEM RATIO 4:1

INCLUDES:

- 1 PC DESCENDER DEVICE DSD PLUS FOR 2 USERS
 - 2 PCS ALU KARABINER
 - 1 PC WINCH SYSTEM
 - 1 PC CARRYING BAG
- OTHER LENGTHS AVAILABLE



200kg



PA 11MM/9MM



2 USERS
 (1 VICTIM + 1
 RESCUER)



KG




EAN

20M	3.50	5605423430370
30M	4.50	5605423430332
40M	5.50	5605423430363



EN341-2A
 EN12841-C



SAVEMAN FS905

PROFESSIONAL

FEATURES:

SELF RESCUE

INBUILT ENERGY ABSORBER

MANUAL ALU DESCENT WITH ANTI-PANIC FUNCTION

TECHNORA® 5MM - HEAT AND CHEMICAL RESISTANCE

RUBBER HANDLE

CONTROLLABLE SPEED UP TO 2M/S

VACCUUM PACKED - EXTENDED SERVICE INTERVALS

INCLUDES:


- 2 PCS ALU KARABINER

- 1 PC ANCHOR DYNEEMA® SLING

- 1 PC SOS CUTTER

- 1 PC STORAGE BAG

OTHER LENGTHS AVAILABLE (MAXIMUM 100M)



MAX.

125 KG



TECHNORA
5MM



1 USER
1 SINGLE USE



KG



EAN



EN341-2D

20M

1.29

5605423430288

30M

1.43

5605423430295

50M

1.58

5605423430622



PROFESSIONAL
EVAK
FS907



FS907-1
WITH MOTOR
DRIVEN FUNCTION
(drill sold separately)

FEATURES:




- REMOTE RESCUE OF VICTIM
- MANUAL LIFT ASCEND/ DESCEND
- BIDIRECTION FUNCTIONALITY FOR CONSECUTIVE DESCENT
- LIGHTWEIGHT ALU DESCENT DEVICE W/ SWIVEL CARABINER
- VACCUUM PACKED - EXTENDED SERVICE INTERVALS

INCLUDES:

- 1 PC ANCHOR SLING
- 1 PC ALU KARABINER
- 1 PC WHEEL DESCENDER
- 1 PC RESCUE POLE (0.8 - 3.6M)
- 1 VACCUUM BAG

OTHER LENGTHS AVAILABLE (MAXIMUM 200M)

		
MAX. 200 KG (280 KG IN EMERGENCY)	PA 10.5MM	1 - 2 USERS

	KG	 EAN	
20M	2.60	5605423430301	EN341-1A ANSI Z359.4
50M	5.40	5605423751284	
80M	7.20	5605423430554	



PROFESSIONAL
AUTO EVAC
FS973



FEATURES:



- BIDIRECTION FUNCTIONALITY FOR CONSECUTIVE DESCENT
- LIGHTWEIGHT ALU DESCENT DEVICE W/ SWIVEL CARABINER
- COLD, HEAT AND CORROSION RESISTANCE
- COMPACT, STABLE AND LOW WEIGHT

INCLUDES:

- 1 PC ANCHOR SLING
- 2 PCS FS34107 RESCUE TRIANGEL
- 1 PC ALUMINIUM KARABINER
- 1 PC WINCH SYSTEM
- 1 PC STORAGE BAG

OTHER LENGTHS AVAILABLE (MAXIMUM 200M)

		
MAX. 200 KG (280 KG IN EMERGENCY)	PA 10.5MM	1 USER

	KG	 EAN	
20M	2.60	5605423430561	EN341-1A ANSI Z359.4
50M	5.50	5605423800852	
80M	7.20	5605423752342	



PROFESSIONAL
STEPS
FS800-SP5



FEATURES:
RESCUE LADDER
3 STEEL KARABINERS INCLUDED
HIGH RESISTANCE POLYESTER
REINFORCED STEPS TO SUPPORT THE USER DURING ASCEND AND DESCEND

		
ST	PES	
	KG	 EAN
2.40M	1.52	5605423270846



PROFESSIONAL
STAIRWAY
FS800-SP7



FEATURES:
RESCUE LADDER WITH INTEGRATED SAFETY SYSTEM THAT ALLOWS ANOTHER PERSON TO ASSIST IN THE RESCUE
AVOIDS A SECOND FALL WHILE THE VICTIM REACHES A SAFE PLACE
INCLUDES A BACKPACK MAKING IT COMPACT AND EASY TO CARRY

			
ALU	PA 11MM	PES 27MM	
	KG	 EAN	
6M	2.22	5605423808605	EN353-2



PROFESSIONAL
TRI ONE
FS975



FEATURES:

RESCUE TRIPOD

PROVIDES A SAFE ANCHOR POINT FOR WORK IN CONFINED SPACES, MANHOLES, TANKS AND OTHER BELOW GROUND WORK

OPEN: 2.40M, CLOSED: 1.30M, DIAMETER: 1.14 - 2.10M

INCLUDES:

- 2 PCS INTEGRATED CABLE PULLEYS
- 2 PCS ANCHOR RINGS
- 1 PC CARRYING BAGS



150kg



ST+ALU



2.40M

KG

12.40



EAN

5605423430707



EN795-A
EN1496-A



PROFESSIONAL
LUG
FS976



FEATURES:

LOAD WINCH TO BE USED TOGETHER WITH TRIPOD FS975

FOR RESCUE PURPOSES ONLY

INCLUDES AN AUTO BRAKE SYSTEM



150kg



ALU



1 USER



20M

KG

11.00



EAN

5605423460711



EN1496-A



PROFESSIONAL
LUG PRO
FS977



FEATURES:

INTEGRATED WINCH SYSTEM: IN THE EVENT OF A FALL, THE OPERATOR CAN BE MANUALLY RESCUED WITH THE SAME DEVICE

TO BE USED TOGETHER WITH TRIPOD FS975

INCLUDES AN ATTACHMENT BRACKET

FOR RESCUE PURPOSES ONLY



100kg



ST+ALU



1 USER



20M

KG

18.00



EAN

5605423800593



EN1496-B
EN360



AIRBONE
FS8041

FEATURES:

HANDLE: FRN NYLON® REINFORCED FIBERGLASS

BLADE: STEEL 420J2B

OVERALL LENGTH 15.5CM

KG



EAN

0.06

5605423808001



EMERGENCY
FS8042

FEATURES:

HANDLE: FRN NYLON® REINFORCED FIBERGLASS

BLADE: STEEL 420J2B

OVERALL LENGTH 14CM

KG



EAN

0.05

5605423808018



MINI-KA
FS8043

FEATURES:

HANDLE: FRN® R

BLADE: STAINLESS STEEL 1.4116 + COATING BEAD BLASTED

OVERALL LENGTH 8CM

KG



EAN

0.03

5605423808025



MINI-TA
FS8044

FEATURES:

HANDLE: FRN® R

BLADE: STAINLESS STEEL 1.4116 + COATING BLACK IDROGLIDER

OVERALL LENGTH 8CM

KG



EAN

0.03

5605423808032



BABY CORE
FS8045

FEATURES:

HANDLE: FRN®

BLADE: N690Co STAINLESS STEEL + COATING BLACK IDROGLIDER STONE WASHED

OVERALL LENGTH 14.5CM

KG



EAN

0.06

5605423808049



FALL ARREST BLOCKS

FS
FALL SAFE®

WWW.FALLSAFE-ONLINE.COM
RETRACTABLE FALL ARRESTER

EN360:2002



CE 0598

**DYNE 2 SERIES
FS930**



EN362-B
EN12275-B



140kg

FEATURES:

FALL INDICATOR
SWIVEL ANCHOR
ONE USER ONLY!



DYNEEMA



EAN



SS+CS+ALU



2M

TB 5605423801064
BC 5605423801057
TC 5605423801071

**DYNE EDGE 2 SERIES
FS930E**



EN362-Q
EN12275-Q



120kg

FEATURES:

FALL INDICATOR
SWIVEL ANCHOR
ONE USER ONLY!



DYNEEMA



EAN



SS+CS+ALU



2M

TB 5605423801095
BC 5605423801088
TC 5605423801101

**DYNE 3 SERIES
FS931**



EN362-Q
EN12275-Q



140kg

FEATURES:

FALL INDICATOR
SWIVEL ANCHOR
ONE USER ONLY!



DYNEEMA



EAN



SS+CS+ALU



2M

TB 5605423801132
BC 5605423801118
TC 5605423801125

**WIRE SERIES
FS933/4/6**



EN362-Q
EN12275-Q



140kg

FEATURES:

FALL INDICATOR
SWIVEL ANCHOR
ONE USER ONLY!



GALVANIZED
4.5MM



EAN



SS+CS+ALU

7.5M 5605423460421
10M 5605423460445
15M 5605423460452

**EDGE WIRE SERIES
FS933E/4E/6E**



CNB/P/11.114
Revision 2



120kg

FEATURES:

FALL INDICATOR
SWIVEL ANCHOR
ONE USER ONLY!



GALVANIZED
4.5MM



EAN



SS+CS+ALU

7.5M 5605423460674
10M 5605423460650
15M 5605423460667

**SEVEN M
FS932**



EN360



100kg

FEATURES:

FALL INDICATOR
SWIVEL ANCHOR
ONE USER ONLY!



DYNEEMA



EAN



SS+CS+ALU

7M 5605423800609

GLOVES & HELMETS

PRO FS9306

MATERIAL:

HALF FINGER
RESISTANT SYNTHETIC LEATHER
REINFORCED KEVLAR® PALM FOR
GREATER DURABILITY
STRETCH NYLON® FABRIC AT BACK
VELCRO® CLOSURE



S	5605423821093
M	5605423751499
L	5605423751482
XL	5605423821079
XXL	5605423821086

CE
EN388+A1
EN ISO 21420

ROPEX FS9307

FEATURES:

GOAT GRAIN LEATHER AT PALM
REINFORCED PALM WITH KNITTED
FABRIC
NEOPRENE® WITH LOOP AND LOOP
FASTENER AT CUFF



M	5605423808445
L	5605423808452
XL	5605423808469

CE
EN388+A1
EN ISO 21420

MECHANIK FS9308

FEATURES:

GOAT GRAIN LEATHER AT PALM
REINFORCED PALM WITH SPLIT COW
LEATHER
WITH KEVLAR® THREAD



M	5605423809213
L	5605423809213
XL	5605423809220

CE
EN388+A1
EN ISO 21420

PROFESSIONAL
DYNAMO
FS3013

CE
EN397+A1



PROFESSIONAL
DYNAMO VOLT
FS3033

CE
EN397+A1
EN50365



FS			KG		EAN
FS3010	○	54/62	0.43		5605423501148
FS3012	●	54/62	0.43		5605423501162
FS3013	●	54/62	0.43		5605423501179
FS3014	●	54/62	0.43		5605423512489
FS3017	●	54/62	0.43		5605423502565

FS			KG		EAN
FS3030	○	54/62	0.43		5605423500172
FS3031	●	54/62	0.43		5605423514780
FS3032	●	54/62	0.43		5605423514797
FS3033	●	54/62	0.43		5605423500196
FS3034	●	54/62	0.43		5605423500158
FS3035	●	54/62	0.43		5605423517255
FS3036	●	54/62	0.43		5605423517231
FS3037	●	54/62	0.43		5605423517835



ACCESSORIES

LOOPING FS800-SP4

FEATURES:

MATERIAL: 100% POLYESTER



UNI

KG

0.3



EAN

5605423270570

TELESCOPIC POLE FS2300

FEATURES:

MATERIAL: FIBERGLASS AND ALUMINIUM

LENGTH ADJUSTED THROUGH LOCKING LATCHES



2-8M


KG

3.8



EAN

5605423801040



CORD FOOT LOOP FS800-SP6

FEATURES:

MATERIAL: DYNEEMA® ROPE 6MM + DYNEEMA® WEBBING 20MM

ALUMINIUM ADJUSTER



UNI

KG

0.1



EAN

5605423270587

BETASTICK ACCESS FS923RP

FEATURES:

MATERIAL: PA6

LENGTH ADJUSTED THROUGH LOCKING LATCHES



0.63-3.10M

KG

0.6



EAN

5605423805598

TAPE FOOT LOOP FS800-SP3

FEATURES:

MATERIAL: POLYESTER 20MM

ALUMINIUM ADJUSTER



UNI

KG

0.2



EAN

5605423820720

**SAFESTEP
FS800-SP1**

FEATURES:

MATERIAL: 100% POLYESTER
AVOIDS HANG TRAUMA AFTER FALL

RECOMMENDATION: USE 2
UNITS FOR MORE STABILITY



↔ **KG**  **EAN**
UNI 0.1 5605423420210

**LANYARD KEEPER
FS8012**

FEATURES:

MATERIAL: PA6
COMPATIBLE WITH 45MM WEBBING



↔ **KG**  **EAN**
540x450MM 0.13 5605423815597

**SAFESTEP DUO
FS800-SP2**

FEATURES:

MATERIAL: 100% POLYESTER
AVOIDS HANG TRAUMA AFTER FALL



↔ **KG**  **EAN**
UNI 0.1 5605423270235

**CROC SLIDER
FS8011**

FEATURES:

ABRASION PROTECTION FOR CROC BELT
MATERIAL: PA6
COMPATIBLE WITH CROC PADDING



↔ **KG**  **EAN**
150x85MM 0.05 5605423815566

**STRAP KEEPER
FS8010**

FEATURES:

MATERIAL: PA6
COMPATIBLE WITH 44MM WEBBING



↔ **KG**  **EAN**
10x30x4MM 0.03 5605423815528

**AXIS POSITIONING DEVICE
FS8404**

FEATURES:

MATERIAL: 100% SILICONE
DIAMETER: UP TO 12MM



↔ **KG**  **EAN**
10x30x4MM 0.05 5605423808063

TETHER POINTS

TOOL TETHER FS8021

FEATURES:

MATERIAL: POLYESTER 20MM + PA6
O-RING Ø12MM
USE WITH FS8024 TOOL TETHER TAPE



↔ **KG**  **EAN**
150MM 0.05 5605423800579

TETHER LOOP FS8031

FEATURES:

MATERIAL: STEEL CABLE WITH COVER
SCREW CLOSURE



5KG



KG  **EAN**
0.03 5605423809428

TOOL TETHER TAPE FS8024

FEATURES:

MATERIAL: SILICONE RUBBER



↔ **KG**  **EAN**
2.5x280CM 0.50 5605423807271

TWIN BRACKET FS919

FEATURES:

MATERIAL: STAINLESS STEEL
USE TO CONNECT 2 PCS FS930 TO THE SAME ANCHOR POINT
COMPATIBLE WITH DORSAL BLOCK LINK PLATE



KG  **EAN**
0.15 5605423000689

PHONE CASE FS8028

FEATURES:

MATERIAL: POLYESTER AND PA6



↔ **KG**  **EAN**
UNI 0.25 5605423807806

TOOL LANYARDS



TOOL LANYARD FS8015




KG EAN
0.32 5605423452310

WRIST BAND FS8025



KG EAN
0.05 5605423807783

STANDARD TOOL LANYARD FS8016



KG EAN
0.30 5605423550108

DRILL BAG FS8019



KG EAN
0.01 5605423800562

HEAVY DUTY TOOLS LANYARD FS8017



KG EAN
1.13 5605423807806

TOOLS & BELT POUCHES

**LITE EVO TWIN BAG
FS8221**



3.3 L



KG



EAN

210x60x260MM

0.50

5605423809565

**LITE ACCESSORY BAG
FS8210**



ECO FABRIC



6 L



KG



EAN

180x280MM

0.26

5605423550375

**ASCENT LITE BAG
FS8220**



ECO FABRIC



8 L



KG



EAN

207x300MM

0.37

5605423807790

**LITE GEAR BAG
FS8207**



ECO FABRIC



6 L



KG



EAN

220x90x330MM

0.39

5605423550313

**SMALL TOOL POCHE
FS8224**



ECO FABRIC



< 1L



169x229MM

KG

0.17



EAN

5605423809305

**TOOL HOLDER LITE
FS8223**



ECO FABRIC



1L



210x295MM

KG

0.29



EAN

5605423809282

**LINE SYSTEM BAG
FS8029**



5 L



207x300MM

KG

0.65



EAN

5605423809312

**WORK BELT
FS8022**



UNI

KG

0.40



EAN

5605423800616



CARRYING BAGS



**EXTEND BAG
FS8101**



80 - 120L



ECO FABRIC



750x400x450MM

KG

1.20



EAN

5605423815245

**MAX PRO BAG
FS8102**



100 L



750x400x450MM

KG

1.00



EAN

5605423815252

XL BAG
FS8100



70 L



KG



EAN

304x310x660MM

1.20

5605423821024

CARGO BAG
FS8214



30 L
47 L



FS



KG



EAN

FS8214-30L

260x600MM

1.00

5605423811131

FS8214-47L

300x670MM

1.34

5605423811124

**CARRYING BAG
FS8125**



13 L



KG



EAN

300x620x300MM 0.21 5605423809367

**PRO BAG
FS8201**



56 L



KG



EAN

300x620x300MM 0.70 5605423550153

**RUCKSACK BAG
FS8205**



17 L



KG



EAN

130x280x470MM 0.41 5605423550351

**STANDARD BAG
FS8150**



43 L



KG



EAN

470x300x300MM 0.40 5605423809374

**LIFELINE BAG
FS8001**



18 L



KG




EAN

160x370x280MM 0.70 5605423550009


ROPES

MAMBA NEGRA SERIES

FS	∅	kN	G/M	 EAN
FSR10-1	9MM	26.7	53.4	5605423821031
FSR05	10.5MM	35.6	67.9	5605423820607
FSR01	11MM	35.6	74.6	5605423450057
FSR12	12MM	45	1.34	5605423752366



ICY WHITE SERIES

FS	∅	kN	G/M	 EAN
FSR11	9MM	26.7	53.4	5605423752359
FSR06	10.5MM	35.6	67.9	5605423821017
FSR02	11MM	35.6	74.6	5605423450101
FSR13	12MM	45	1.34	5605423752373



ENERGY ABSORBER

PRO EA FS503
 100% PES
 EVA CASING
 MAX LOAD 140KG
 5605423360073

BASIC EA FS506
 100% PES
 THERMAL SLEEVE
 MAX LOAD 140KG
 5605423753363





FALL SAFE®

FALL SAFE®



USA: SureWerx USA Inc.,
325 Corporate Drive,
Elgin, IL, USA 60123
surewerx.com/usa

Europe: FALL SAFE ON LINE LDA
Zona Industrial da Varziela, Rua B,
Lote 54, 4480-620 Vila do Conde,
PT
fallsafe-online.com

Follow us on Social Media
FALL SAFE®

