




**ITC**<sup>®</sup>

**CATALOGUE 2025**

# Safety & Productivity



## DESIGN

ITC products are designed with the user in mind: features like ergonomic handles to cushioned grips ensure that you can use our products all day without compromising safety or comfort.



## QUALITY

ITC products use high-grade materials and advanced manufacturing technologies, making them the ideal choice for the tough workplace environment and harsh weather extremes faced by the Canadian professional user.



## STANDARDS

Our tools meet or exceed international design standards to ensure you get the job done right the first time, ensuring the consistent safety and productivity of Canadian workers.

## TABLE OF CONTENTS

|                              |    |
|------------------------------|----|
| Chrome Sockets .....         | 04 |
| Impact Sockets .....         | 08 |
| Wrenches .....               | 10 |
| Pliers and Cutters .....     | 15 |
| Screwdrivers .....           | 16 |
| Hex Key Wrenches .....       | 17 |
| Punches and Chisels .....    | 18 |
| Striking Tools .....         | 19 |
| Measuring Tools .....        | 20 |
| Miscellaneous Products ..... | 21 |
| Automotive Products .....    | 23 |
| Air Tools .....              | 25 |
| Shop Equipment .....         | 26 |
| Warranty .....               | 28 |

## ICON LEGEND

|                         |                                                                                       |
|-------------------------|---------------------------------------------------------------------------------------|
| 6-point .....           |  |
| 12-point .....          |  |
| Chrome Molybdenum ..... |  |
| Chrome Vanadium .....   |  |



## CHROME SOCKET SETS

### 40-PC 1/4" Drive SAE/Metric Socket Set

020113 | ISK-1440SM

- Chrome Vanadium steel
- 5-1/2" quick-release ratchet
- 2" and 6" extensions
- Popular 6-point sockets
- Features full range of SAE and metric regular and deep sockets
- Convenient blow-mould case
- SAE Regular and Deep: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

- Metric Regular and Deep: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm

CrV SAE METRIC 1/4 6 Points



### 20-PC 3/8" Drive SAE Socket Set

020123 | ISK-3820S

- Chrome Vanadium steel
- 8" quick-release ratchet
- 8-1/2" flex handle
- 3" extension
- Universal joint
- Popular 6-point sockets
- Features full range of SAE regular and deep sockets
- Convenient blow-mould case

- SAE Regular: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- SAE Deep: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16"

CrV SAE 3/8 6 Points



### 20-PC 3/8" Drive Metric Socket Set

020124 | ISK-3820M

- Chrome Vanadium steel
- 8" quick-release ratchet
- 8-1/2" flex handle
- 3" extension
- Universal joint
- Popular 6-point sockets
- Features full range of metric regular and deep sockets
- Convenient blow-mould case

- Metric Regular: 10, 12, 13, 15, 17, 18, 19, 22 mm
- Metric Deep: 10, 12, 13, 15, 17, 18, 19 mm

CrV METRIC 3/8 6 Points



### 49-PC 3/8" Drive SAE/Metric Socket Set

020125 | ISK-3849SM

- Chrome Vanadium steel
- 8" quick-release ratchet
- 3" and 6" extensions
- Universal joint
- Popular 6-point sockets
- Features full range of SAE and metric regular and deep sockets
- Convenient blow-mould case
- SAE Regular: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"
- SAE Deep: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"

- Metric Regular: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Metric Deep: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

CrV SAE METRIC 3/8 6 Points



### 20-PC 1/2" Drive SAE Socket Set

020133 | ISK-1220S

- Chrome Vanadium steel
- 10" quick-release ratchet
- 17" flex handle
- 5" and 10" extensions
- Universal joint

- Popular 6-point sockets
- Convenient blow-mould case
- SAE Regular: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"

CrV SAE 1/2 6 Points



### 24-PC 1/2" Drive Metric Socket Set

020134 | ISK-1224M

- Chrome Vanadium steel
- 10" quick-release ratchet
- 17" flex handle
- 5" and 10" extensions
- Universal joint
- Popular 6-point sockets
- Convenient blow-mould case

- Metric Regular: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm

CrV METRIC 1/2 6 Points



## CHROME SOCKET SETS



ITC

CHROME SOCKETS

### 49-PC 1/2" Drive SAE/Metric Socket Set

020135 | ISK-1249SM

- Chrome Vanadium steel
- 10" quick-release ratchet
- 15" flex handle
- 5" extension
- Universal joint
- Popular 6-point sockets
- Features full range of SAE and metric regular and deep sockets
- Convenient blow-mould case
- SAE Regular: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"
- SAE Deep: 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"
- Metric Regular: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
- Metric Deep: 13, 15, 17, 18, 19, 22 mm



CrV SAE METRIC 1/2 6 Points

### 21-PC 3/4" Drive SAE Socket Set

020141 | ISK-3421

- Chrome Vanadium steel
- 20" round-head ratchet
- 18" sliding T-handle
- 4" and 8" extensions
- Popular 12-point sockets
- Convenient blow-mould case
- SAE Regular: 3/4, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-7/8, 2"

CrV SAE 3/4 12 Points



### 200-PC Mechanic's Tool Set

020304 | IMTK-200



- Chrome Vanadium steel sockets and drive tools
- 1/4", 3/8", and 1/2" drive SAE and Metric sockets in 6-point, 12-point, regular, and deep styles for maximum versatility
- Quick-release 36 tooth ratchets with heavy-duty pawls exceed ANSI standards for torque and tolerance
- Combination wrenches, hex keys, nut setters, and screwdriver bits in one convenient high impact blow-mould case – ready for any job!
- All components meet ANSI standards and are backed by ITC's limited lifetime warranty!

CrV 6 12 SAE METRIC 1/4 3/8 1/2

#### 020304 CONTAINS

- 1-PC 1/4" Dr. Quick-Release Ratchet Handle and 1-PC 1/4" Dr. x 3" Extension Bar
- 11-PC 1/4" Dr. Sockets (6 pt, SAE) 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16"
- 12-PC 1/4" Dr. Sockets (6 pt, Metric) 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 7-PC 1/4" Dr. Deep Sockets (6 pt, SAE) 3/16, 1/4, 9/32, 5/16, 3/8, 7/16, 1/2"
- 7-PC 1/4" Dr. Deep Sockets (6 pt, Metric) 7, 8, 9, 10, 11, 12, 13 mm
- 1-PC 3/8" Dr. Quick-Release Ratchet Handle
- 1-PC 3/8" Dr. x 3" Extension Bar and 1-PC 3/8" Dr. x 6" Extension Bar
- 1-PC 3/8" Dr. x 5/8" Spark Plug Socket and 1-PC 3/8" Dr. x 13/16" Spark Plug Socket
- 9-PC 3/8" Dr. Sockets (6 pt, SAE) 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- 13-PC 3/8" Dr. Sockets (6 pt, Metric) 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm
- 9-PC 3/8" Dr. Sockets (12 pt, SAE) 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16"
- 10-PC 3/8" Dr. Sockets (12 pt, Metric) 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 mm
- 7-PC 3/8" Dr. Deep Sockets (6 pt, SAE) 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- 7-PC 3/8" Dr. Deep Sockets (6 pt, Metric) 9, 10, 12, 13, 14, 15, 17 mm
- 1-PC 1/2" Dr. Quick-Release Ratchet Handle
- 6-PC 1/2" Dr. Sockets (12 pt, SAE) 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- 6-PC 1/2" Dr. Sockets (12 pt, Metric) 14, 15, 16, 17, 18, 19 mm
- 16-PC Combination Wrench Set SAE: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4" Metric: 9, 10, 11, 12, 13, 14, 15, 17 mm
- 1-PC 1/4" Bit Drive
- 24-PC Screwdriver Bits Slotted: 1/8, 5/32, 3/16, 1/4, 1/4, 1/4" Phillips: #0, #1, #2, #2, #2, #3 TORX®: T10, T15, T20, T25, T30, T40, Hex: 1/8, 5/32, 3/16, 7/32, 1/4, 9/32"
- 12-PC Nut Driver Bits SAE: 1/4", 9/32, 5/16, 11/32, 3/8, 7/16" Metric: 5, 6, 7, 8, 10, 11 mm
- 22-PC Short-Arm Hex Key Wrench Set SAE: 0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" Metric: 1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6 mm
- 12-PC Long-Arm Hex Key Wrench Set SAE: 5/64, 3/32, 1/8, 5/32, 3/16", 1/4" Metric: 2, 2.5, 3, 4, 5, 6 mm



## CHROME SOCKET SAE – OPEN STOCK

### 1/4" Drive Chrome Sockets – 6 pt

- Chrome Vanadium steel

| Size   | Regular | Deep   |
|--------|---------|--------|
| 3/16"  | 025006  | 025056 |
| 7/32"  | 025007  | 025057 |
| 1/4"   | 025008  | 025058 |
| 9/32"  | 025009  | 025059 |
| 5/16"  | 025010  | 025060 |
| 11/32" | 025011  | 025061 |
| 3/8"   | 025012  | 025062 |
| 7/16"  | 025014  | 025064 |
| 1/2"   | 025016  | 025066 |

### 3/8" Drive Chrome Sockets – 6 pt

- Chrome Vanadium steel

| Size   | Regular | Deep   |
|--------|---------|--------|
| 3/8"   | 025212  | 025262 |
| 7/16"  | 025214  | 025264 |
| 1/2"   | 025216  | 025266 |
| 9/16"  | 025218  | 025268 |
| 5/8"   | 025220  | 025270 |
| 11/16" | 025222  | 025272 |
| 3/4"   | 025224  | 025274 |
| 13/16" | 025226  | 025276 |
| 7/8"   | 025228  | 025278 |

### 1/2" Drive Chrome Sockets – 6 pt

- Chrome Vanadium steel

| Size    | Regular | Deep   |
|---------|---------|--------|
| 3/8"    | 025412  |        |
| 7/16"   | 025414  | 025464 |
| 1/2"    | 025416  | 025466 |
| 9/16"   | 025418  | 025468 |
| 5/8"    | 025420  | 025470 |
| 11/16"  | 025422  | 025472 |
| 3/4"    | 025424  | 025474 |
| 13/16"  | 025426  | 025476 |
| 7/8"    | 025428  | 025478 |
| 15/16"  | 025430  | 025480 |
| 1"      | 025432  | 025482 |
| 1-1/16" | 025434  | 025484 |
| 1-1/8"  | 025436  | 025486 |
| 1-1/4"  | 025440  | 025490 |

## SOCKET ACCESSORIES

### Universal Joints & Extensions

- Chrome Vanadium steel

| Prod. No. | Drive | Description      |
|-----------|-------|------------------|
| 025190    | 1/4"  | 2" Extension     |
| 025191    | 1/4"  | 6" Extension     |
| 025193    | 1/4"  | Universal Joint  |
| 025390    | 3/8"  | 3" Extension     |
| 025391    | 3/8"  | 6" Extension     |
| 025392    | 3/8"  | 8.5" Flex Handle |
| 025393    | 3/8"  | Universal Joint  |
| 025590    | 1/2"  | 5" Extension     |
| 025591    | 1/2"  | 10" Extension    |
| 025592    | 1/2"  | 15" Flex Handle  |
| 025594    | 1/2"  | Universal Joint  |

### Oval Head Ratchet Wrenches

- All components forged from superior quality Chrome Vanadium steel
- Push-button quick release holds socket securely

| Prod. No. | Mod. No. | Drive | Length | Teeth | Quick Release |
|-----------|----------|-------|--------|-------|---------------|
| 025195    | IRH-14   | 1/4"  | 6"     | 36    | Yes           |
| 025395    | IRH-38   | 3/8"  | 8"     | 36    | Yes           |
| 025595    | IRH-12   | 1/2"  | 10"    | 36    | Yes           |



025195



025395



025595

# CHROME SOCKET METRIC - OPEN STOCK



ITC

CHROME SOCKETS

## 1/4" Drive Chrome Sockets - 6 pt

- Chrome Vanadium steel

| Size  | Regular | Deep   |
|-------|---------|--------|
| 4 mm  | 025104  | 025154 |
| 5 mm  | 025105  | 025155 |
| 6 mm  | 025106  | 025156 |
| 7 mm  | 025107  | 025157 |
| 8 mm  | 025108  | 025158 |
| 9 mm  | 025109  | 025159 |
| 10 mm | 025110  | 025160 |
| 11 mm | 025111  | 025161 |
| 12 mm | 025112  | 025162 |

## 3/8" Drive Chrome Sockets - 6 pt

- Chrome Vanadium steel

| Size  | Regular | Deep   |
|-------|---------|--------|
| 6 mm  | 025306  |        |
| 7 mm  | 025307  |        |
| 8 mm  | 025308  | 025358 |
| 9 mm  | 025309  | 025359 |
| 10 mm | 025310  | 025360 |
| 11 mm | 025311  | 025361 |
| 12 mm | 025312  | 025362 |
| 13 mm | 025313  | 025363 |
| 14 mm | 025314  | 025364 |
| 15 mm | 025315  | 025365 |
| 16 mm | 025316  | 025366 |
| 17 mm | 025317  | 025367 |
| 18 mm | 025318  | 025368 |
| 19 mm | 025319  | 025369 |
| 20 mm | 025320  |        |
| 21 mm | 025321  |        |
| 22 mm | 025322  |        |

## 1/2" Drive Chrome Sockets - 6 pt

- Chrome Vanadium steel

| Size  | Regular | Deep   |
|-------|---------|--------|
| 10 mm | 025510  | 025560 |
| 11 mm | 025511  |        |
| 12 mm | 025512  | 025562 |
| 13 mm | 025513  | 025563 |
| 14 mm | 025514  | 025564 |
| 15 mm | 025515  | 025565 |
| 16 mm | 025516  | 025566 |
| 17 mm | 025517  | 025567 |
| 18 mm | 025518  | 025568 |
| 19 mm | 025519  | 025569 |
| 20 mm | 025520  | 025570 |
| 21 mm | 025521  | 025571 |
| 22 mm | 025522  | 025572 |
| 23 mm | 025523  | 025573 |
| 24 mm | 025524  | 025574 |
| 27 mm | 025527  |        |
| 30 mm | 025530  |        |
| 32 mm | 025532  |        |



**WARNING: Do not use chrome sockets on impact wrenches**



## IMPACT SOCKET SETS

### 1/2" Drive 13-PC SAE Impact Socket Sets – 6 pt

- Heat-treated Chrome Molybdenum sockets for professional applications
- Torque-Drive® sockets apply torque to flats of fasteners to prevent corner rounding and increase torque
- Black phosphate finish resists corrosion and will not peel
- Large easy to read size markings for quick identification
- Complete with hand blow-mould storage case

020723

CrMo 1/2 SAE



| Prod. No. | Mod. No. | Type | Size |
|-----------|----------|------|------|
|-----------|----------|------|------|

|        |          |         |                                                                               |
|--------|----------|---------|-------------------------------------------------------------------------------|
| 020723 | IPS-1312 | Regular | 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4" |
|--------|----------|---------|-------------------------------------------------------------------------------|

|        |           |      |                                                                               |
|--------|-----------|------|-------------------------------------------------------------------------------|
| 020728 | IPS-1312D | Deep | 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4" |
|--------|-----------|------|-------------------------------------------------------------------------------|

### 1/2" Drive 13-PC Metric Impact Socket Sets – 6 pt

- Heat-treated Chrome Molybdenum sockets for professional applications
- Torque-Drive® sockets apply torque to flats of fasteners to prevent corner rounding and increase torque
- Black phosphate finish resists corrosion and will not peel
- Large easy to read size markings for quick identification
- Complete with hand blow-mould storage case

020731

CrMo 1/2 METRIC



| Prod. No. | Mod. No. | Type | Size |
|-----------|----------|------|------|
|-----------|----------|------|------|

|        |           |         |                                                       |
|--------|-----------|---------|-------------------------------------------------------|
| 020731 | IPS-1312M | Regular | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm |
|--------|-----------|---------|-------------------------------------------------------|

|        |            |      |                                                       |
|--------|------------|------|-------------------------------------------------------|
| 020736 | IPS-1312DM | Deep | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm |
|--------|------------|------|-------------------------------------------------------|

## IMPACT SOCKETS SAE - OPEN STOCK

### 1/2" Drive Impact Sockets - 6 pt

- Heat-treated Chrome Molybdenum sockets for professional applications
- Torque-Drive® sockets apply torque to flats of fasteners to prevent corner rounding and increase torque
- Black phosphate finish resists corrosion and will not peel
- Large easy to read size markings for quick identification

CrMo

| Size    | Regular | Deep   |
|---------|---------|--------|
| 1-1/4"  | 026240  |        |
| 7/16"   | 026264  | 026214 |
| 1/2"    | 026266  | 026216 |
| 9/16"   | 026268  | 026218 |
| 5/8"    | 026270  | 026220 |
| 11/16"  | 026272  | 026222 |
| 3/4"    | 026274  | 026224 |
| 13/16"  | 026276  | 026226 |
| 7/8"    | 026278  | 026228 |
| 15/16"  | 026280  | 026230 |
| 1"      | 026282  | 026232 |
| 1-1/16" | 026284  | 026234 |
| 1-1/8"  | 026286  | 026236 |
| 1-1/4"  | 026290  |        |

STANDARD



DEEP



## IMPACT SOCKETS METRIC - OPEN STOCK



### 1/2" Drive Impact Sockets - 6 pt

- Heat-treated Chrome Molybdenum sockets for professional applications
- Torque-Drive® sockets apply torque to flats of fasteners to prevent corner rounding and increase torque
- Black phosphate finish resists corrosion and will not peel
- Large easy-to-read size markings for quick identification

CrMo

| Size  | Regular | Deep   |
|-------|---------|--------|
| 10 mm | 026310  | 026360 |
| 11 mm | 026311  | 026361 |
| 12 mm | 026312  | 026362 |
| 13 mm | 026313  | 026363 |
| 14 mm | 026314  | 026364 |
| 15 mm | 026315  | 026365 |
| 16 mm | 026316  | 026366 |
| 17 mm | 026317  | 026367 |
| 18 mm | 026318  | 026368 |
| 19 mm | 026319  | 026369 |
| 21 mm | 026321  | 026371 |
| 22 mm | 026322  | 026372 |
| 24 mm | 026324  | 026374 |

STANDARD



DEEP





## POLISHED COMBINATION WRENCH SETS

### 14-PC Semi-Polished Combination Wrench Sets

- Drop-forged heat-treated Chrome Vanadium steel
- Precision machined open and box ends
- Box ends feature anti-rounding design to prevent fastener damage
- Nickel Chrome finish resists corrosion
- Meets ANSI standards
- Includes roll-up pouch

CrV METRIC SAE



020210

020211

| Prod. No. | Mod. No. | Size |
|-----------|----------|------|
|-----------|----------|------|

|        |          |                                                                                    |
|--------|----------|------------------------------------------------------------------------------------|
| 020210 | ICW-14PS | 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4" |
|--------|----------|------------------------------------------------------------------------------------|

|        |          |                                                           |
|--------|----------|-----------------------------------------------------------|
| 020211 | ICW-14PM | 10, 11, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 32 mm |
|--------|----------|-----------------------------------------------------------|

### 22-PC SAE/Metric Fully Polished Combination Wrench Set

020219 | ICWP-22SM

- Drop-forged Chrome Vanadium steel
- Full mirror polish finish
- Meets ANSI specifications
- Convenient plastic storage rack
- Size SAE: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"
- Size Metric: 8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19 mm

CrV METRIC SAE



## RAISED-PANEL COMBINATION WRENCH SETS

### 16-PC Raised Panel Combination Wrench Sets

- Drop-forged heat-treated Chrome Vanadium steel
- Raised-panel design for additional strength under load
- Precision machined open and box ends
- Box ends feature anti-rounding design to prevent fastener damage
- Nickel Chrome finish resists corrosion
- Meets ANSI standards
- Includes heavy duty fabric pouch

CrV METRIC SAE



020216



020215

| Prod. No. | Mod. No. | Size |
|-----------|----------|------|
|-----------|----------|------|

|        |        |                                                                                               |
|--------|--------|-----------------------------------------------------------------------------------------------|
| 020215 | ICW-16 | 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4" |
|--------|--------|-----------------------------------------------------------------------------------------------|

|        |         |                                                                |
|--------|---------|----------------------------------------------------------------|
| 020216 | ICW-16M | 6, 8, 9, 10, 11, 12, 13, 15, 17, 18, 19, 21, 22, 24, 30, 32 mm |
|--------|---------|----------------------------------------------------------------|

### 22-PC SAE/Metric Raised Panel Combination Wrench Set

020217 | ICW-22SM

- Drop-forged Chrome Vanadium steel
- Raised panel
- Meets ANSI specifications
- Convenient plastic storage rack
- Size SAE: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"
- Size Metric: 8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19 mm

CrV METRIC SAE



## JUMBO COMBINATION WRENCH SETS

### 10-PC Jumbo Combination Wrench Sets

- Industrial-quality drop-forged Chrome Vanadium Steel
- Heat-treated for professional use
- Raised-panel for increased strength
- Chrome plated for corrosion resistance
- Complete with fabric roll pouch

CrV

METRIC

SAE

| Prod. No. | Mod. No. | Size                                                                       |
|-----------|----------|----------------------------------------------------------------------------|
| 020202    | ICWJ-10S | 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-11/16,<br>1-3/4, 1-13/16, 1-7/8, 2" |
| 020203    | ICWJ-10M | 33, 35, 36, 38, 41, 43, 44,<br>46, 48, 50 mm                               |

020202



## ANGLE COMBINATION WRENCH SETS

### 14-PC SAE Angle Wrench Set – 60° & 15° 020222 | IACW-14

- Drop-forged Chrome Vanadium steel
- Fully polished mirror finish
- Vinyl pouch
- Size: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"

CrV

SAE



020203



**SAE Combination Wrenches - SAE**

- Drop-forged Chrome Vanadium
- Raised-panel style

**CrV**

| Size     | Prod. No. |
|----------|-----------|
| 1/4"     | 022201    |
| 5/16"    | 022202    |
| 3/8"     | 022203    |
| 7/16"    | 022204    |
| 1/2"     | 022205    |
| 9/16"    | 022206    |
| 5/8"     | 022207    |
| 11/16"   | 022208    |
| 3/4"     | 022209    |
| 13/16"   | 022210    |
| 7/8"     | 022211    |
| 15/16"   | 022212    |
| 1"       | 022213    |
| 1-1/16"  | 022214    |
| 1-1/8"   | 022215    |
| 1-1/4"   | 022217    |
| 1-5/16"  | 022218    |
| 1-3/8"   | 022219    |
| 1-7/16"  | 022220    |
| 1-1/2"   | 022221    |
| 1-5/8"   | 022223    |
| 1-11/16" | 022224    |
| 1-3/4"   | 022225    |
| 1-13/16" | 022226    |
| 1-7/8"   | 022227    |
| 2"       | 022229    |



## WRENCHES – OPEN STOCK

### Metric Combination Wrenches – Metric

- Drop-forged Chrome Vanadium steel
- Raised-panel style

**CrV**

| Size  | Prod. No. |
|-------|-----------|
| 6 mm  | 022251    |
| 7 mm  | 022252    |
| 8 mm  | 022253    |
| 9 mm  | 022254    |
| 10 mm | 022255    |
| 11 mm | 022256    |
| 12 mm | 022257    |
| 13 mm | 022258    |
| 14 mm | 022259    |
| 15 mm | 022260    |
| 17 mm | 022262    |
| 18 mm | 022263    |
| 19 mm | 022264    |
| 21 mm | 022266    |
| 22 mm | 022267    |
| 24 mm | 022269    |
| 26 mm | 022271    |
| 27 mm | 022272    |
| 30 mm | 022275    |
| 32 mm | 022277    |



### Jumbo Metric Combination Wrenches – Metric

- Industrial-quality drop-forged Chrome Vanadium Steel
- Heat treated for professional use
- Raised panel for increased strength
- Chrome plated for corrosion resistance

**CrV**

| Size  | Prod. No. |
|-------|-----------|
| 32 mm | 022278    |
| 35 mm | 022280    |
| 36 mm | 022281    |
| 38 mm | 022283    |
| 41 mm | 022286    |
| 43 mm | 022288    |
| 44 mm | 022289    |
| 46 mm | 022291    |
| 48 mm | 022293    |
| 50 mm | 022295    |





## TORQUE WRENCHES

### 3/8" Drive Torque Wrench

- Click type
- Includes blow-mould case
- Knurled handle
- Head repair kit: PDN-ITW-2060RK
- Accurate to +/- 4%
- Lock nut to lock handle

**3/8**

021801



| Prod. No. | Mod. No. | Drive | Torque          |
|-----------|----------|-------|-----------------|
| 021801    | ITW-2060 | 3/8"  | 120 – 960 in-lb |

### 1/2" Drive Torque Wrench

- Click type
- Includes blow-mould case
- Knurled handle
- Head repair kit: PDN-ITW-2063RK
- Accurate to +/- 4%
- Lock-nut to lock handle
- Includes 1/2" F - 3/8" M adaptor and one 1/2" x 5" extension

**1/2**

021811



| Prod. No. | Mod. No. | Drive | Torque         |
|-----------|----------|-------|----------------|
| 021811    | ITW-2063 | 1/2"  | 10 – 150 ft-lb |

## ADJUSTABLE WRENCH SET

### 3-PC Adjustable Wrench Set

020236 | IAW-3S

- Drop-forged alloy steel
- Heat treated for durability
- Length: 8, 10, 12"



## PIPE WRENCHES

### Steel Pipe Wrenches

- Forged carbon steel hook jaw
- Rockwell hardness HRC 47-52
- Meets ANSI specifications

**CrV**

| Prod. No. | Mod. No. | Length | Capacity |
|-----------|----------|--------|----------|
| 020404    | IPW-14   | 14"    | 2"       |
| 020405    | IPW-18   | 18"    | 2-1/2"   |
| 020406    | IPW-24   | 24"    | 3"       |
| 020407    | IPW-36   | 36"    | 5"       |



020404

### Aluminum Pipe Wrenches

- Forged carbon steel hook jaw
- Rockwell hardness HRC 47-52
- Meets ANSI specifications

| Prod. No. | Mod. No. | Length | Capacity |
|-----------|----------|--------|----------|
| 020415    | IPW-18A  | 18"    | 2-1/2"   |
| 020416    | IPW-24A  | 24"    | 3"       |
| 020417    | IPW-36A  | 36"    | 5"       |



020415

## ADJUSTABLE WRENCHES

### Adjustable Wrenches

- Heat-treated alloy steel
- Accurate thumb screw for smooth operation

| Prod. No. | Mod. No. | Length |
|-----------|----------|--------|
| 020311    | IAW-6    | 6"     |
| 020312    | IAW-8    | 8"     |
| 020313    | IAW-10   | 10"    |
| 020314    | IAW-12   | 12"    |
| 020315    | IAW-15   | 15"    |



020311

## TIN SNIP SET

### 3-PC Aviation/Tin Snips Set

020802 | IAS-3S

- Hardened alloy steel blades
- Serrated blades prevent material from slipping out of jaws
- Colour-coded soft-grip handles for superior grip and user comfort
- Contains 1 each: Left cut, right cut, straight cut



## BOLT CUTTERS

### Bolt Cutters

- Blades hardened to Rockwell HRC55-60

| Prod. No. | Mod. No. | Length | Capacity | Replacement Heads |
|-----------|----------|--------|----------|-------------------|
| 020504    | IBC-18   | 18"    | 1/4"     | 020514            |
| 020505    | IBC-24   | 24"    | 5/16"    | 020515            |

020514

020504



## PLIERS - OPEN STOCK

### Cushion-Grip Pliers and Cutters

- Drop-forged alloy steel
- Cushion-grip handles for comfort



020626

020627

020628

020630

020629

020631

| Prod. No. | Mod. No. | Description     |
|-----------|----------|-----------------|
| 020626    | ICP-200  | Lineman's       |
| 020627    | IRP-200  | Long-Nose       |
| 020628    | INP-200  | Diagonal Cutter |
| 020629    | IGJ-250  | Groove-Joint    |
| 020630    | ISJ-200  | Slip-Joint      |
| 020631    | IGJ-300  | Groove-Joint    |

## LOCKING PLIERS

### Cushion-Grip Locking Plier Sets

- Tough alloy steel construction
- Comfortable rubber handle grips
- All models complete with wire cutter



020606

| Prod. No. | Mod. No. | Type                  | Long-nose plier length | Curved jaw length | Number of pieces |
|-----------|----------|-----------------------|------------------------|-------------------|------------------|
| 020606    | ILPS-3C  | Long-Nose, Curved Jaw | 6"                     | 7", 10"           | 3                |

## PLIERS

### 5-PC Cushion-Grip Pliers Set

020604 | IPL-5S

- 8" Lineman's pliers
- 8" Long-nose pliers
- 8" Diagonal cutters
- 10" Groove-joint pliers
- 8" Slip-joint pliers






## SCREWDRIVER SETS

### 9-PC Ergonomic Screwdriver Set

020906 | IESD-9S

- Fully hardened Chrome Vanadium shafts
- Magnetic tips conveniently hold screws on tip in any position
- Double-injected handles provide superior grip and user comfort
- Ergonomic handle shape allows application of extra torque
- Type: Slotted, Phillips, Square
- Size Slotted: 1/8" x 3", 3/16" x 4", 5/16" x 8"

CrV



### 14-PC Ergonomic Screwdriver Set

020907 | IESD-14S

- Fully hardened Chrome Vanadium shafts
- Magnetic tips conveniently hold screws on tip in any position
- Double-injected handles provide superior grip and end-user comfort
- Ergonomic handle shape allows application of extra torque
- Type: Slotted, Phillips, Square, TORX®
- Size Slotted: 1/8" x 3", 5/32" x 3", 3/16" x 4", 1/4" x 6", 5/16" x 8"

CrV



### 14-PC ABS Handle Screwdriver Set

020911 | ISD-14

- Fully hardened Chrome Vanadium shafts
- Magnetic tips conveniently hold screws on tip in any position
- Ergonomic handle shape allows application of extra torque
- Type: Phillips, Square, Slotted, TORX®
- Size Slotted: 3/16" x 3", 1/4" x 4", 3/8" x 8", 1/4" x 1-1/2", 5/16" x 6"



## ERGONOMIC HANDLE SCREWDRIVERS - OPEN STOCK

### Slotted Ergonomic Handle Screwdrivers

- Fully hardened Chrome Vanadium shafts
- Magnetic tips conveniently hold screws on tip in any position
- Double-injected handles provide superior grip and user comfort
- Ergonomic handle shape allows application of extra torque

CrV

| Prod. No. | Size       | Type     |
|-----------|------------|----------|
| 021002    | 1/8" x 3"  | Slotted  |
| 021003    | 5/32" x 3" | Slotted  |
| 021005    | 3/16" x 4" | Slotted  |
| 021007    | 1/4" x 6"  | Slotted  |
| 021009    | 5/16" x 8" | Slotted  |
| 021012    | #1 x 3"    | Phillips |
| 021014    | #2 x 4"    | Phillips |
| 021019    | #3 x 6"    | Phillips |
| 021020    | #3 x 8"    | Phillips |
| 021023    | #1 x 4"    | Square   |
| 021024    | #2 x 4"    | Square   |
| 021027    | #3 x 6"    | Square   |



## MULTIBIT SCREWDRIVER SET

### 15-PC Multibit Screwdriver Set

020921 | ISDM-15

- Includes 13 2-1/2" bits
- Bits conveniently stored in handle
- 4 x Phillips
- 4 x Square
- 2 x Slot
- 2 x TORX®
- 1 Awl
- Holster
- Type: Phillips, Square, Slotted, TORX®
- Size Slotted: 3/16, 1/4"

CrV



## HEX KEY WRENCH SETS



ITC

HEX KEY WRENCHES

### 7-PC Metric Ball-Nose Hex Key Set 021514 | IHKB-7M

- Chrome Vanadium
- Ball-nose design allows engagement of fastener at up to 25° angle
- Convenient plastic holder
- Sizes: 2.5, 3, 4, 5, 6, 8, 10 mm



### 7-PC SAE Ball-Nose Hex Key Set 021513 | IHKB-7S

- Chrome Vanadium
- Ball-nose design allows engagement of fastener at up to 25° angle
- Convenient plastic holder
- Sizes: 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"





## PUNCHES AND CHISEL SETS

### 16-PC Punch and Chisel Set

023508 | IPC-16

- Dual-heat-treated Chrome Vanadium steel
- Type : Cold Chisels, Pin, Taper and Centre Punches
- Cold Chisels : 3/8" x 5-1/2", 1/2" x 6", 5/8" x 6-1/2"
- Pin Punch : 3/32" x 4-1/4", 1/8" x 4-3/4", 5/32" x 5-1/4", 3/16" x 5-1/4", 1/4" x 5-3/4"
- Taper Punch : 3/32" x 5-1/4", 1/8" x 5-3/4", 5/32" x 6", 3/16" x 6-1/4", 1/4" x 6-3/4"
- Centre Punch : 1/8" x 5", 3/16" x 6"


CrV



### 12-PC Jumbo Punch and Chisel Set

023505 | IPC-12

- Jumbo style for big jobs
- Vinyl pouch
- Type: Cold and Concrete Chisels, Pin, Taper and Centre Punches
- Cold Chisels: 1/2" x 6-3/4", 5/8" x 7", 3/4" x 8", 15/16" x 10", 1" x 10"



## PRY BARS/CROW BARS

### 4-PC Leverage Pry Bar Sets

022925 | IMPB-4

- Dual-material handles for sure grip
- Length: 8, 12, 18, 24"
- Hardened and tempered CR40 steel



### 4-PC Rolled Head Pry Bar Sets

022920 | IRPB-4

- 1 each: 6, 12, 16, 20"
- Heat-treated tempered drop-forged steel



### Pry Bars (Cat Bars)

- Hexagon-shaped shaft
- Precision-ground aligner point and chisel head



022914

| Prod. No. | Mod. No. | Length | Shaft  |
|-----------|----------|--------|--------|
| 022914    | IPB-18   | 18"    | 5/8"   |
| 022915    | IPB-24   | 24"    | 3/4"   |
| 022917    | IPB-36   | 36"    | 3/4"   |
| 022937    | IPB-6018 | 60"    | 1-3/8" |

## WRECKING BARS

### Wrecking Bars

- Hexagon-shaped shank
- Precision-ground chisel head and nail puller



022904

| Prod. No. | Mod. No. | Length | Shaft |
|-----------|----------|--------|-------|
| 022904    | IWB-24   | 24"    | 5/8"  |

## STRIKING TOOLS

### Ball Pein Hammers – Fibreglass Handle

- Fibreglass handles are complete with comfortable PVC grips

022621



| Prod. No. | Mod. No. | Head Weight | Handle Length | Type      | Handle Type |
|-----------|----------|-------------|---------------|-----------|-------------|
| 022621    | IBP-08F  | 0.5 lb      | 11"           | Ball Pein | Fibreglass  |
| 022622    | IBP-16F  | 1 lb        | 12-3/4"       | Ball Pein | Fibreglass  |
| 022623    | IBP-24F  | 1.5 lb      | 12-3/4"       | Ball Pein | Fibreglass  |
| 022624    | IBP-32F  | 2 lb        | 14"           | Ball Pein | Fibreglass  |

### Drilling Hammers – Fibreglass Handle

- Fibreglass handles are complete with comfortable PVC grips, larger hammers feature rubber overstrike bumpers

022651



| Prod. No. | Mod. No. | Head Weight | Handle Length | Type     | Handle Type |
|-----------|----------|-------------|---------------|----------|-------------|
| 022651    | IDH-3F   | 3 lb        | 13-3/4"       | Drilling | Fibreglass  |

### Sledge Hammers – Fibreglass Handle

- Fibreglass handles are complete with comfortable PVC grips, larger hammers feature rubber overstrike bumpers

022653



| Prod. No. | Mod. No. | Head Weight | Handle Length | Type   | Handle Type |
|-----------|----------|-------------|---------------|--------|-------------|
| 022653    | ISH-4F   | 4 lb        | 16"           | Sledge | Fibreglass  |
| 022655    | ISH-8F   | 8 lb        | 36"           | Sledge | Fibreglass  |
| 022656    | ISH-10F  | 10 lb       | 36"           | Sledge | Fibreglass  |



### Steel Head Hammers

- Drop-forged steel heads
- Strong, lightweight tubular steel handles

022611



| Prod. No. | Mod. No. | Head Weight | Type                   | Handle Type |
|-----------|----------|-------------|------------------------|-------------|
| 022611    | ICHT-16  | 1 lb        | Tube steel claw hammer | Steel       |

## ELECTRICAL TAPE

### 3/4" x 60' Electrical Tape

026702 | IET-3460

- CSA Approved
- Black tape
- Operating temperature: -7°C – 80°C
- Package Qty: 10
- Case Qty: 200
- Dimensions: 60" x 3/4" x 7 mm



## HAND RIVETER SET

### Hand Riveter Set

027705 | IRT-60

- Aluminum die-cast body
- Chrome Molybdenum alloy steel jaw
- Size: 3/32, 1/8, 5/32, 3/16"
- Number of Piece: 60
- Includes assorted aluminum rivets





## MEASURING TOOLS

### Non-Contact Infrared Thermometer

027591 | IRT-520

- Allows accurate measurement of temperature without contact
- Ideal for use in inaccessible areas and where moving parts or high heat make contact measurement dangerous
- Many uses including: automotive applications, food and beverage industries, chemical industries, cement plants, road building, HVAC, pool maintenance, etc.
- Gives instant readouts
- Selectable laser pointer for accurate aim
- Backlit display for easy reading
- Automatic data hold
- Display: 3-1/2 digit (1,999 count) LCD with backlighting
- Measuring Range: -20°C to 520°C / -4°F to 968°F



### 3-1/2 Digit Digital LCD Multimeter

027551 | IDMM-100

- 3-1/2 digit (1999 count) digital LCD display
- Low-battery indicator
- Overload protection
- Designed to safety standard IEC-1010; CAT II 600V
- Includes test leads and 9 V battery
- Measures DC current, AC/DC voltage, resistance, square wave output, temperature, diode check, transistor hfe
- Polarity: Auto polarity indication



### SAE/Metric Tape Measures

- High visibility steel tape
- Rubber shell for sure grip and resistance to impact



### 6" SAE/Metric Electronic Digital Caliper

027515 | IEDC-6

- Large easy-to-read digital display
- On/Off switch prolongs battery life
- Easy switch for inch/mm readings
- Measures 0 – 6" in 1/1000" increments or 0 – 150 mm in 0.01 mm increments



| Prod. No. | Mod. No. | Size       | Width | Length | Measurement Standard |
|-----------|----------|------------|-------|--------|----------------------|
| 022010    | ITM-316R | 3/4" x 16" | 3/4"  | 16"    | SAE/Metric           |
| 022020    | ITM-425R | 1" x 25"   | 1"    | 25"    | SAE/Metric           |

022010

## SCREW EXTRACTOR SETS

### 5-PC Spiral Extractor Set

024205 | ISE-5

- Sizes: #1 - 1/8 - 1/4", #2 - 1/4 - 5/16", #3 - 5/16 - 7/16", #4 - 7/16 - 9/16", #5 - 9/16 - 3/4"



### 7-PC Square Extractor Set

024207 | ISE-7

- Sizes: 1/8, 3/16, 15/64, 5/16, 3/8, 15/32, 9/16"



## SHOE-HANDLE STAINLESS STEEL HAND SCRATCH BRUSH

### 4-Row Hand Scratch Brush

026504 | ISB-4SH

- Wooden handle
- Wire Rows: 4 x 16



## HAND SAW

### Adjustable Tubular Steel Hacksaw Frame

023005 | IHS-1012

- Uses 10" or 12" blade



## UTILITY KNIVES

### 6-1/2" Snap Blade Knife

027021 | ISBK-18

- Tough ABS construction
- SK5 steel blade stays sharp longer
- Blades snap off for new cutting edge
- Uses 18 mm blades
- Blade Width: 6-1/2"
- Type of blade: SK5 Steel



## FILE SET

### 5-PC File Set

023151 | IFS-5S

- Heat-treated alloy steel
- All models 2nd cut for general purpose use
- Double-injected handles provide superior grip and user comfort
- 8" Flat File
- 8" Half Round File
- 8" Taper File
- 8" Round File
- 8" Square File



## C-CLAMPS

### C-Clamps

- Reinforced
- Malleable steel frames



024402

| Prod. No. | Mod. No. | Max. Opening |
|-----------|----------|--------------|
| 024403    | ICC-3    | 3"           |
| 024404    | ICC-4    | 4"           |
| 024406    | ICC-6    | 6"           |
| 024407    | ICC-8    | 8"           |

### Snap Blades

027018 | UKB-10

- Blades snap off for new cutting edge
- Convenient plastic case keeps blades safe and dry
- Blade Width: 11/16"






## VICES

### Swivel Base Mechanic's Vises

- Lightweight vise precision cast from 30,000 psi tensile strength iron
- Precision machined hardened steel jaws
- Built-in pipe jaws
- Large machined anvil
- 360° swivel base with dual lock down handles
- Shot-blast finish powder-coat paint for protection from corrosion



024724

| SPECIFICATIONS | 024724<br>ISVL-4 | 024726<br>ISVL-6 | 024728<br>ISVL-8 |
|----------------|------------------|------------------|------------------|
| Max. Opening   | 3"               | 5"               | 6"               |
| Jaw Width      | 4"               | 6"               | 8"               |
| Throat Depth   | 2-3/16"          | 3"               | 3-1/2"           |
| Pipe Capacity  | 1-1/4"           | 2"               | 2-1/2"           |

## MAGNETIC TOOLS

### Telescopic Magnetic Pick-Up Tool

027291 | ITM-3

- Capacity: 3.5 lb
- Length: 5-1/4" to 28"



### Telescopic Magnetic Pick-Up Tool - Extra Long

027292 | ITM-1

- Cushion-grip
- Capacity: 3.5 lb
- Length: 6-1/4" to 33-1/4"



### 2-1/4" Diameter Telescoping Mirror

027293 | ITM-2


- Cushion-grip
- Mirror diameter: 2-1/4"
- Length: 9-3/4" to 36-1/2"



### 5-PC Telescopic Tool Set

027295 | ITT-5S

- Cushion-grip handle for sure grip
- Articulated joints for maximum versatility
- Pick-up tool extends 6-1/2" – 26"
- 2" Mirror extends 10" – 29"
- Type: Extending pick-up tool, articulating magnetic head, articulating 2-1/4" round mirror, 2 rigid magnetic heads



### 6" Round Magnetic Parts Tray

027290 | IMPT-6

- Stainless steel
- Diameter: 6"
- Vinyl-coated magnet protects painted surfaces



## TIE DOWNS

### Ratchet Tie Downs

- 1" Heavy-duty weather-resistant polyester web
- Heavy-duty hooks
- Quick release
- Rated capacity 1,500 lb



027105

| Prod. No. | Mod. No.  | Size     | Capacity | Package Quantity |
|-----------|-----------|----------|----------|------------------|
| 027105    | RTD-115   | 1" x 15" | 1,500 lb | 1                |
| 027115    | RTD-1152  | 1" x 15" | 1,500 lb | 2                |
| 027116    | ITD-1154R | 1" x 15" | 1,500 lb | 4                |

### Ratchet Tie Downs

- 2" Heavy-duty weather-resistant polyester web
- Heavy-duty hooks
- Quick release
- Rated capacity: 10,000 lb
- Breaking strength: 10,000 lb
- Working load limit: 3,300 lb



027108

| Prod. No. | Mod. No. | Size     | Capacity  | Package Quantity |
|-----------|----------|----------|-----------|------------------|
| 027108    | RTD-230  | 2" x 30' | 10,000 lb | 1                |

## CABLE PULLER

### 2 Ton Ratchet Cable Puller

024903 | ICP-200

- All-steel construction
- Drop-forged hooks with safety latches
- Heavy-duty aircraft cable
- 4,000 lb pulling capacity
- Release system holds load while allowing it to be released one notch at a time
- Cable Length: 10'
- Capacity: 2 T



## CREEPER

### 40" Drop-Shoulder Metal Frame 6-Wheel Creeper

024861 | IGC-100

- Creepers make repairs faster and easier
- Drop-shoulder design for added comfort
- 40" (105 cm)-long reinforced tubular steel frame
- Full-length extra-dense back and head rest padding for supreme comfort
- Six 2-1/2" PVC ball-bearing casters provide a smooth, highly manoeuvrable and stable ride
- Weight: 14 lb / 6.5 kg
- Product Dimension: 40" x 17" x 4" (1,020 x 432 x 102 mm)



## TAP AND DIE SETS

### 60-PC SAE/Metric Tap and Die Set

024312 | ITD-60C

- SAE and Metric combined
- One die and tap of each
- One tap wrench and die stock
- One T-handle tap wrench
- One SAE and one metric thread gauge
- One screwdriver
- Taps and Dies are heat-treated to Rockwell C58-C61
- SAE #4-12, 1/4-1/2" NC & NF, 1/8"-27 NPT
- Metric M3-M12
- Size SAE: #4-40NC, #6-32NC, #8-32NC, #10-24NC, #12-24NC, #10-32NF, 1/4"-20NC, 5/16"-18NC, 3/8"-16NC, 7/16"-14NC, 1/2"-13NC, 1/4"-28NF, 5/16"-24NF, 3/8"-24NF, 7/16"-20NF, 1/2"-20NF, 1/8"-27NPT
- Size metric: M3 x .5, M4 x .7, M5 x .8, M6 x 1.0, M7 x 1.0, M8 x 1.25, M9 x 1.25, M10 x 1.0, M10 x 1.5, M12 x 1.75 mm

SAE  
METRIC



### 24-PC Tap and Die Sets

- Heat treated
- Rockwell hardness C58 – C61
- Tested for strength, hardness and cutting ability

Includes:

- Die stock
- Tap handle



024302


| Prod. No. | Mod. No. | Size                                                                                                                         | Standard |
|-----------|----------|------------------------------------------------------------------------------------------------------------------------------|----------|
| 024302    | ITD-24   | 1/4"-20NC, 5/16"-18NC, 3/8"-16NC, 7/16"-14NC, 1/2"-13NC, 1/4"-28NF, 5/16"-24NF, 3/8"-24NF, 7/16"-20NF, 1/2"-20NF, 1/8"-27NPT | SAE      |
| 024303    | ITD-24M  | M5 x .8, M6 x .75, M8 x 1.0, M10 x 1.25, M12 x 1.5, M5 x .9, M6 x 1.0, M8 x 1.25, M10 x 1.5, M12 x 1.75 mm, 1/8" - 27NPT     | Metric   |



## AUTOMOTIVE TOOLS

### 13-PC Slide Hammer Puller Set 027405 | ISHK-13

- Slide hammer with 5 lb hammer
- Rear-axle pulling plate
- 3-way cross head
- 2-way cross block
- Nut
- Grip-wrench adaptor
- Dent-puller attachment and screw
- 3 pulling jaws, nuts and bolts
- Puller-hook attachment
- Capacity: 2 T



## PICK, HOOK AND SCRAPER TOOLS

### 4-PC Pick and Hook Set 027261 | IHP-4

- Awl straight pick
- Hook tool
- 45° bent-tip tool
- 90° bent-tip tool



## VOLTAGE DETECTORS

### 6-12 Volt Circuit Tester 027265 | ICT-612

- 60" rubber wire and insulated clip
- Voltage: 6-12 Volt



## OIL FILTERS

### Two-Way Oil Filter Wrench 027251 | IFW-002

- For filters in sizes 2-1/2" to 4-3/4" in diameter
- Three legs
- 3/8", 1/2" drive and 13/16" hexagon



### Oil Filter Removal Pliers 027253 | IFP-001

- For removal of filters 2-3/4" to 3-5/8" in diameter
- Cushion handles
- Slip-joint
- For removal only



## CROSS-WHEEL WRENCHES

### SAE Cross-Wheel Wrench 027203 | IWW-20

- 5/8, 3/4, 13/16, 7/8"
- Length: 20"

SAE



## ANGLED TIP AIR BLOW GUN

### 4" Angled Nozzle Blow Gun

028381 | IT-AG4AN

- Full pressure nozzle
- Brass air inlet – U.S.A. patented
- Size: 1/4"
- Length: 4"



## AIR HOSE REELS

### Retractable Air Hose Reel – Metal

028272 | I3850AS

- Spring-powered auto-rewind hose reel
- High-grade hardened-steel spring, fully enclosed and lubricated
- All-steel construction, well ribbed for strength
- Corrosion-resistant powder-coat finish
- Guide arm adjusts to 8 positions for floor, ceiling or wall mounting
- Four-direction non-sag rollers reduce hose wear
- Multi-position ratchet-release mechanism locks hose in place
- Full-flow solid brass swivel joint and machined brass fittings
- Ideal for shop use
- Hose Length: 50'
- Inside Diameter (I.D.): 3/8"



### Retractable Hose Reels – Polypropylene

- Durable impact-resistant polypropylene construction
- Positive latching mechanism locks hose at desired length
- Swivel bracket for wall or overhead mounting
- Complete with hose



028283

| Prod. No. | Mod. No. | Length | Inside Diameter (I.D.) | Max. Pressure | Fitting Size (NPT) | Application |
|-----------|----------|--------|------------------------|---------------|--------------------|-------------|
| 028283    | IAR-3850 | 50'    | 3/8"                   | 300 PSI       | 3/8"               | Air/Water   |
| 028282    | IAW1265  | 65'    | 1/2"                   | 140 PSI       | 3/8"               | Air         |

## DIE GRINDER

### 1/4" Mini Die Grinders

- Insulating rubber grip for operator safety and comfort
- Rear exhaust directs air away from work piece
- Inlet screen for extended tool life
- Safety lever prevents accidental starts
- Standard Accessories: Wrenches



| Prod. No. | Mod. No. | Collect Size | Max. Speed | Overall Length | Weight | Average Air Consumption |
|-----------|----------|--------------|------------|----------------|--------|-------------------------|
| 028314    | ID25MA   | 1/4"         | 20,000 RPM | 6-1/4"         | 1.1 lb | 3 cfm                   |

## COMPRESSORS

### 5 Gallon Portable Air Tank

013480 | ITPAT5

- 5-gallon capacity
- 125 PSI maximum pressure
- Complete with pressure gauge, hose and tire chuck
- Includes safety bypass valve with manual override
- Length: 17-1/2"
- Diameter: 12"



### 11 Gallon Portable Air Tank

013485 | ITPAT11

- 11-gallon capacity
- 125 PSI maximum pressure
- Complete with pressure gauge, hose and tire chuck
- Includes safety bypass valve with manual override
- Length: 23"
- Diameter: 12"





## BENCH GRINDERS

### Bench Grinders

- Adjustable steel work rest
- 1 Standard safety glass, 1 Magnifying safety glass
- Cast aluminum base
- Large flexible worklight (bulb not included)
- Water tray
- Dustproof switch

028016



| SPECIFICATIONS | 028016<br>IBG-6  | 028017<br>IBG-8        |
|----------------|------------------|------------------------|
| Motor          | 1/2 HP           | 3/4 HP                 |
| Size           | 6"               | 8"                     |
| Wheel Size     | 6" x 3/4" x 1/2" | 8" x 5/8" x 1"         |
| Arbor Size     | 1/2"             | 5/8"                   |
| Max. RPM       | 3,600 RPM        | 3,450 RPM<br>(no load) |

### 32" High Bench Grinder Stand

028018 | IBGS-10

- Universal, fits 6" and 8" grinders
- Complete with coolant tray
- Height: 32"



## LIFTING EQUIPMENT

### 3-Ton Hydraulic Service Jack

024827 | ISJ-3A

- Conforms to ANSI standards
- Incorporates safety valve to prevent overloading
- Two-piece handle comes with rubber grip
- Rear swivel castors
- Lifting range: 5-1/2" – 19-1/2"



### 5,500 lb Hydraulic Pallet Truck

024852 | IPT-5500A

- Easily lifts loads up to 5,500 lb
- Entry rollers at fork tip allow easy pallet entry
- Polyurethane-coated steel steer wheels
- Polyurethane load rollers
- 27" x 48" fork dimensions
- Heavy-duty pump for long life
- Capacity: 2-3/4 T



### 2-Ton Folding Engine Crane

024858 | IFEC-2T

- 4-position boom extends for hard-to-reach applications
- 4 large swivel castors provide easier positioning
- Fold-up legs reduce storage space required when not in use
- Boom Capacity: 2 T
- Boom Length: 38-1/2" – 59-1/2"



### 48" Farm Jack

024837 | FJ48

- Height: 48"
- 32"-long handle with grip
- Steel forged base 5.75" x 6.75"
- 4" upper foot / 4.5" lower foot
- Capacity: 3 T



**10-PC 1500 Watt Heat Gun Kit**

011981 | SPT270

- Motor: 120 volt, 12.5 amps
- Features dual heat settings and fan speeds
- Blowing Speed:
  - Low: 300 litres/min (10.5 cfm)
  - High: 500 litres/min (17.6 cfm)
- Air Temperature:
  - Low: 300°C (572°F)
  - High: 500°C (932°F)
- Includes:
  - Window nozzle – deflects to prevent panes of glass, etc. from overheating
  - Reflector nozzle – for soldering pipes or shrink-fitting shrink sleeves
  - Focus nozzle
  - Reduction nozzle – for focused jet of heat
  - Paint scraper for stripping paint
  - Shavehook scraper handle with 3 attachable blades
  - Blow-mould case
  - Weight: 0.8 kg (1.8 lb)





## WARRANTY

### WARRANTY POLICY

#### ITC TOOLS AND EQUIPMENT (ITC)

All ITC branded products are guaranteed against defects in workmanship and materials, when the product is used for the purpose for which it was designed, for the useful life of the tool. Any ITC product that fails during normal use and within the specified warranty period for that product will be repaired or replaced at ITC's discretion.

ITC product warranties apply to ITC products purchased new from an authorized ITC distributor to the original retail purchaser only.

See specific product warranty statements below for more information and limitations.

This warranty is void if there is evidence of misuse, abuse, alterations, or normal wear and tear. Normal wear and tear of moving parts can be repaired by purchasing the appropriate ITC replacement part.

No claim for indirect, incidental, or consequential damages of any type will be considered including loss time or wages, or loss of production. All products are sold with this specific understanding.

Product for which there is a warranty claim must be returned, freight prepaid to an authorized ITC distributor, or in the case of power tools, machinery and hydraulic equipment, to an authorized ITC OR JET warranty repair center. All returns must include proof of purchase and an explanation of the defect or failure.

Go to [www.itctoolscanada.com](http://www.itctoolscanada.com) or [www.surewerx.com](http://www.surewerx.com) for a list of authorized warranty repair centers.

Except as listed below, all ITC-brand tools are covered by our Limited Lifetime Warranty

#### ITEMS EXCLUDED FROM WARRANTY

Cutting Tools, Drill Bits, Taps and Dies, Screw Extractors, Wood and Metal Chisels, Files, Saw Blades, Knife Blades, Electrical Tape, Reducing Adaptors, Screwdriver Bits, Batteries supplied with units, damaged insulating materials, or any tool showing rounded drive corners, snipe or hammer marks, bent or broken handles, or normal wear and tear.

#### ITC BRAND 1 YEAR LIMITED WARRANTY

Hydraulic Jacks, Pallet Trucks, Bench Grinders, Machinery, Cable Pullers, Service Carts, Automotive-Type Air Tools, Creepers, Air and Water Hose Reels, Multimeters and Thermometers (batteries excluded), Torque Wrenches (calibration is not covered by warranty except when required due to warranty repair service)

#### ITC POWER TOOLS

##### 1 YEAR WARRANTY

These products are designed for use in light or intermittent duty applications. They are not intended for use in production, industrial or continual use applications.

This warranty does not extend to normal wear or consumable parts such as grinding discs, saw blades, driver bits, electrical motor brushes, worn cords, etc.

Multiple piece kits and sets- warranty applies only to the defective component, not the complete kit or set.

NOTE: Batteries supplied with certain products may have been exposed to a long shelf life resulting in low energy or dead batteries. Please source replacement batteries locally. Please follow operating instructions for rechargeable batteries used in certain products. Dead or low energy batteries do not constitute a warranty claim.



**ITC**

 **SureWerx**

49 Schooner Street  
Coquitlam, BC V3K 0B3 Canada  
604-523-8665  
[surewerx.com](http://surewerx.com)