

# "THE ROCK" FR-TECH® HI-VIS 88/12 7 OZ FR/ARC-RATED COVERALLS - INDUSTRIAL-WASH TOUGH - HI-VIS ORANGE - 46

Product # **V2540950A-46** | Model # **7708A**



The Rock ARC-rated coveralls feature FR-Tech® fabric to provide lasting FR protection for the life of the garment. Double-stitched StarTech® reflective tape delivers enhanced visibility in low-light conditions while a rugged cotton/nylon blend provides breathability, comfort, and durability.

- **Material** – Made from a blend of 88% premium cotton and 12% high-tenacity nylon, Pioneer's "The Rock" coveralls are flame resistant, guaranteed for the life of the garment. The material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 standards, certified to UL.
- **Certification** – Giving you long-lasting value, these cotton blended nylon coveralls are CSA Z96-15 Class 1 Level 2 and Class 3 Level FR certified. The coveralls have an Arc Thermal Protective (ATP) value of 10 cal/cm² and an ARC 2 rating with the Average Thermal Protective Performance (TPP) value at 9 cal/cm².
- **Visibility** – Sewn with inherently FR thread, the Pioneer coveralls are double-stitched with 2" StarTech® FR silver reflective tape. The special industrial wash-suitable reflective tape is perfect for construction and allows users to be seen in low-light environments.
- **Pockets** – These coveralls include multiple pockets with 7 total storage pockets (2 back, 2 chest, 2 side, and 1 tool) and 1 radiophone clip strap to accommodate various tools and equipment, making it the ultimate choice for prospective users.
- **Design** – Inclusive of adjustable wrists with snap adjustments and a 2-way FR brass zipper, these coveralls are designed to provide the ultimate comfort to the user, while maintaining a snug fit with elastic on the back and either side of the waistband.
- **Sizes** – Available in high-visibility orange, "The Rock" Pioneer Coveralls are sold in multiple sizes ranging from 36-66.



## TECHNICAL SPECIFICATIONS

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Adjustment Type    | Ankle  Snap<br>Wrist  Waist<br>Two-sided<br>Elastic, Waist<br>Two-sided<br>Elastic  Snap<br>Wrist                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Closure Type       | 2-way FR Brass<br>Zipper                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Color              | Bright Orange,<br>Orange, Hi-Viz<br>Orange                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| FR & ARC Standards | ARC 2  ASTM<br>F1506-20A <br>ATPV 10<br>cal/cm <sup>2</sup>   CSA<br>Z462-24  NFPA<br>2112-2023<br>certified to UL <br>NFPA 70E-24 <br>CGSB<br>155.20-2017 <br>TPP 8.4<br>cal/cm <sup>2</sup> , ARC 2 <br>ATPV 10<br>cal/cm <sup>2</sup>   ASTM<br>F1506-20A <br>CGSB<br>155.20-2017 <br>NFPA<br>2112-2018<br>Certified to UL <br>NFPA<br>70E-2021  TPP<br>9 cal/cm <sup>2</sup>   CSA<br>Z462-2021,<br>ARC 2  ATPV<br>10 cal/cm <sup>2</sup>  <br>ASTM<br>F1506-2018 <br>CGSB<br>155.20-2017 <br>NFPA<br>2112-2018<br>Certified to UL <br>NFPA<br>70E-2018  TPP<br>9 cal/cm <sup>2</sup>   CSA<br>Z462-2018,<br>ARC 2  ASTM<br>F1506-20A <br>ATPV 10<br>cal/cm <sup>2</sup>   CSA<br>Z462-21 <br>NFPA-70E-21 <br>CGSB<br>155.20-2017 <br>NFPA<br>2112-2018<br>Certified to UL <br>TPP 9 cal/cm <sup>2</sup> ,<br>ARC 2  CSA<br>Z462-24  NFPA<br>2112-2023<br>certified to UL <br>NFPA 70E-24 <br>CGSB<br>155.20-2017 <br>TPP 8.4<br>cal/cm <sup>2</sup>   ASTM<br>F1506-22 <br>ATPV 11<br>cal/cm <sup>2</sup>   TPP<br>8.4 cal/cm <sup>2</sup>  <br>NFPA<br>2112-2023 |
| Gender             | Unisex, Men                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Hi-Vis Standards   | CSA Z96-22<br>Class 3 Level 2 <br>CSA Z96-22<br>Class 3 Level<br>FR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Material           | 88/12  12%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

|                       |                                                                                                                                                                                                                                                                                                                    |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                       | High-Tenacity<br>Nylon  88%<br>Cotton                                                                                                                                                                                                                                                                              |
| Material<br>Thickness | 7 oz (240 GSM)                                                                                                                                                                                                                                                                                                     |
| Number of<br>Pockets  | 7                                                                                                                                                                                                                                                                                                                  |
| Pocket<br>Type        | Back  Chest <br>Side  Tool,<br>Back  Chest <br>Pass-Through <br>Side  Tool                                                                                                                                                                                                                                         |
| Reflective<br>Tape    | StarTech®<br>Double-Stitched<br>Flame<br>Resistant <br>Suitable for<br>Industrial Wash                                                                                                                                                                                                                             |
| Size                  | 46                                                                                                                                                                                                                                                                                                                 |
| Size<br>Length        | Regular                                                                                                                                                                                                                                                                                                            |
| Special<br>Features   | Action Back <br>Aramid Flame<br>Resistant<br>Thread <br>Industrial<br>Wash  Multiple<br>Pockets <br>Radiophone<br>Clip Strap,<br>Radiophone<br>Clip Strap <br>Aramid Flame<br>Resistant<br>Thread, Aramid<br>Flame<br>Resistant<br>Thread <br>Industrial<br>Wash  Multiple<br>Pockets <br>Radiophone<br>Clip Strap |
| Standards             | CSA Z96-22<br>Class 3 Level 2 <br>CSA Z96-22<br>Class 3 Level<br>FR, CSA<br>Z96-15 Class 3<br>Level 2  CSA<br>Z96-15 Class 3<br>Level FR                                                                                                                                                                           |