## FR-TECH® HI-VIS FR/ARC-RATED QUILTED SAFETY COVERALLS - HI-VIS ORANGE - M



Product # V2560151-M | Model # 5532A

FR/Arc rated safety coveralls designed to keep you comfortable and safe while operating in potentially hazardous working conditions.

- Premium cotton and high-tenacity nylon blend provide an optimum blend of comfort and durability
- Modacrylic viscose blended material traps body heat to provide extra warmth and insulation
- Action back and elastic waist provide superb ease of movement and wide range of motion
- Exclusive StarTech® reflective tape provides maximum visibility even in low list working conditions
- Features a total of 6 storage pockets for unsurpassed versatility
- Made with tough double-stitched seams and 2-way FR brass non-locking zipper with snaps
- All metal components are concealed to ensure no arch flash conductivity
- · Comes complete with radiophone clip strap





## **TECHNICAL SPECIFICATIONS**

Adjustment 3/4 Leg Zippers

Туре with Snaps Ankle| Waist Elastic, Ankle|

Waist Elastic| 3/4 Leg Zippers with Snaps

2-way FR Brass Non-Locking Closure Туре Zipper

Color Bright Orange, Orange

FR & ARC ARC 4| ASTM Standards

F1506-20A| CSA Z462-24| NFPA

2112-2023 certified to UL| NFPA 70E-24 CGSB 155.20-2017| TPP 14.9 cal/cm²| ATPV 58 cal/cm², ARC 4| ASTM F1506-10a| CSA Z462-15| NFPA 70E| CGSB 155.20-2017| NFPA 2112-2018 Certified to UL| TPP 14.9 cal/cm²| ATPV 58 cal/cm<sup>2</sup>, ARC 4| ASTM F1506-20A| CSA Z462-21| NFPA-70E-21|

CGSB 155.20-2017| 2112-2018 Certified to UL TPP 14.9 cal/cm<sup>2</sup>| ATPV 58 cal/cm<sup>2</sup>

Gender Men, Unisex Hi-Vis CSA Z96-22 Standards Class 3 Level 2

CSA Z96-22 Class 3 Level FR

Insulation Modacrylic Viscose Blend Material Insulation 6.5 oz (220 Thickness

Lining Material Cotton, 100% FR Cotton Material 88/12| 88% Cotton| 12% High-Tenacity

Nylon, 88/12| 12% High-Tenacity Nylon| 88% Cotton

Material 10 oz (340 GSM)

Number of Pockets

6 Pocket Back| Chest| Type Side

Reflective StarTech® Tape Double-Stitched

Flame Resistant

Size

Size Length

Regular

Special Features Action Back|
Radiophone
Clip Strap|
Aramid Flame
Resistant
Thread| Aramid
Storm Cuffs,
Aramid Flame
Resistant
Thread| Aramid
Storm Cuffs|
Leg/Boot
Zippers|
Multiple
Pockets|
Radiophone
Clip Strap
CSA Z96-22

Clip Stra

Standards

CIIp Strap
CSA Z96-22
Class 3 Level 2|
CSA Z96-22
Class 2 Level
FR, CSA
Z96-15 Class 3
Level 2| CSA
Z96-15 Class 2
Level FR

