

BULLET TO FIT



The NEW Jackson XS2-500 TYPE 2 Safety Helmet delivers a secure, customized fit that keeps you safe and comfortable, no matter the job. Its innovative Hard Hat Interchange System seamlessly integrates with other Jackson Safety products, offering ultimate versatility without compromising on protection.

ENGINEERED TO PROTECT.



THE ALL-NEW

XS2-500



FEATURES

- ABS shell – high strength and lightweight.
- EPP liner – protection from side impact, slips, trips and falls.
- 6-point suspension with 370 Speed Dial ratchet and “Quick-Fit” headband.
- Size 6-1/2 to 8-1/2 (52 cm – 68 cm)
- 4-point chin strap with synthetic leather band

STANDARDS

- Non-Vented: Meets ANSI/ISEA Z89.1-2014 (R2019) Type II, Class E, HT, LT, EN 12492 4.2.4
- Vented: Meets ANSI/ISEA Z89.1-2014 (R2019) Type II, Class C, HT, LT, EN 12492 4.2.4

MODELS

- Vented (Class C) and Non-Vented (Class E) versions
- With and without high-impact (ANSI Z87.1+) polycarbonate visor



Construction & Demolition



Oil & Gas



Forestry & Logging



Communication



Power & Utilities



Warehousing & Logistics



Industrial & Manufacturing



Transportation

THE ALL-NEW

MICRO-BRIM RESISTANCE

INTRODUCING



ABS SHELL

Tough and lightweight in both extreme heat and freezing temperatures

MICRO-BRIM DESIGN

Engineered for unobstructed sightlines, while smart rain-channeling keeps water off your face and neck

EPP LINER

Protection from side impact, slips, trips and falls

6-POINT COMFORT PLUS AIR-COOLED SUSPENSION

Designed for enhanced airflow, reducing heat buildup and keeping you cool and comfortable

QUICK-FIT HEADBAND


6-point suspension with 370 Speed Dial ratchet and "Quick-Fit" headband

4-POINT CHIN STRAP

with synthetic leather band

NO DRIPS. NO DISTRACTIONS.

Enhanced rain protection by directing water to the sides, keeping it from dripping into the user's face or down the back of the neck.



FITS EVERY HEAD. PROTECTS EVERY WORKER.

Easy Grip-Easy Turn – 370 Speed Dial ratchet adjusts to the widest range of head sizes 6½ – 8½ (52 cm – 68 cm) ensuring a secure and personalized fit.



COMFORT IN EVERY CURVE. AIRFLOW IN EVERY MOVE. THE ULTIMATE HEAT STRESS SHIELD.

The 6-Point Comfort Plus Air-Cooled Suspension is engineered for airflow, not just fit. By allowing heat to escape and fresh air to circulate, it fights heat stress better than any helmet in its class—keeping you cool, focused, and ready to work.

JACKSON
SAFETY

COLORS





FEATURES

- ABS shell – high strength and lightweight.
- EPP liner – protection from side impact, slips, trips and falls.
- 6-point suspension with 370 Speed Dial ratchet and “Quick-Fit” headband.
- Size 6-1/2 to 8-1/2 (52 cm – 68 cm)
- 4-point chin strap with synthetic leather band

STANDARDS

- Non-Vented: Meets ANSI/ISEA Z89.1-2014 (R2019) Type II, Class E, HT, LT, EN 12492 4.2.4
- Vented: Meets ANSI/ISEA Z89.1-2014 (R2019) Type II, Class C, HT, LT, EN 12492 4.2.4

MODELS

- Vented (Class C) and Non-Vented (Class E) versions
- With and without high-impact (ANSI Z87.1+) polycarbonate visor



Prod. Number	Venting	Color
22100	Non-Vented	White
22101	Non-Vented	Yellow
22102	Non-Vented	Blue
22103	Non-Vented	HV Orange
22104	Non-Vented	Black
22106	Non-Vented	HV Green
22107	Non-Vented	Red
22108	Non-Vented	Gray
22120	Vented	White
22121	Vented	Yellow
22122	Vented	Blue
22123	Vented	HV Orange
22124	Vented	Black
22126	Vented	HV Green
22127	Vented	Red
22128	Vented	Gray