

"THE ROCK" FR-TECH® HI-VIS 88/12 7 OZ FR/ARC-RATED COVERALLS - INDUSTRIAL-WASH TOUGH - HI-VIS ORANGE - 66

Product # **V2540950A-66** | Model # **7708A**



The Rock ARC-rated coveralls feature FR-Tech® fabric to provide lasting FR protection for the life of the garment. Double-stitched StarTech® reflective tape delivers enhanced visibility in low-light conditions while a rugged cotton/nylon blend provides breathability, comfort, and durability.

- **Material** – Made from a blend of 88% premium cotton and 12% high-tenacity nylon, Pioneer's "The Rock" coveralls are flame resistant, guaranteed for the life of the garment. The material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 standards, certified to UL.
- **Certification** – Giving you long-lasting value, these cotton blended nylon coveralls are CSA Z96-15 Class 1 Level 2 and Class 3 Level FR certified. The coveralls have an Arc Thermal Protective (ATP) value of 10 cal/cm² and an ARC 2 rating with the Average Thermal Protective Performance (TPP) value at 9 cal/cm².
- **Visibility** – Sewn with inherently FR thread, the Pioneer coveralls are double-stitched with 2" StarTech® FR silver reflective tape. The special industrial wash-suitable reflective tape is perfect for construction and allows users to be seen in low-light environments.
- **Pockets** – These coveralls include multiple pockets with 7 total storage pockets (2 back, 2 chest, 2 side, and 1 tool) and 1 radiophone clip strap to accommodate various tools and equipment, making it the ultimate choice for prospective users.
- **Design** – Inclusive of adjustable wrists with snap adjustments and a 2-way FR brass zipper, these coveralls are designed to provide the ultimate comfort to the user, while maintaining a snug fit with elastic on the back and either side of the waistband.
- **Sizes** – Available in high-visibility orange, "The Rock" Pioneer Coveralls are sold in multiple sizes ranging from 36-66.



TECHNICAL SPECIFICATIONS

Adjustment Type	Ankle Snap Wrist Waist Two-sided Elastic, Waist Two-sided Elastic Snap Wrist
Closure Type	2-way FR Brass Zipper
Color	Orange, Bright Orange, Hi-Viz Orange
FR & ARC Standards	ARC 2 ASTM F1506-20A ATPV 10 cal/cm ² CSA Z462-24 NFPA 2112-2023 certified to UL NFPA 70E-24 CGSB 155.20-2017 TPP 8.4 cal/cm ² , ARC 2 ATPV 10 cal/cm ² ASTM F1506-20A CGSB 155.20-2017 NFPA 2112-2018 Certified to UL NFPA 70E-2021 TPP 9 cal/cm ² CSA Z462-2021, ARC 2 ATPV 10 cal/cm ² ASTM F1506-2018 CGSB 155.20-2017 NFPA 2112-2018 Certified to UL NFPA 70E-2018 TPP 9 cal/cm ² CSA Z462-2018, ARC 2 ASTM F1506-20A ATPV 10 cal/cm ² CSA Z462-21 NFPA-70E-21 CGSB 155.20-2017 NFPA 2112-2018 Certified to UL TPP 9 cal/cm ² , ARC 2 CSA Z462-24 NFPA 2112-2023 certified to UL NFPA 70E-24 CGSB 155.20-2017 TPP 8.4 cal/cm ² ASTM F1506-22 ATPV 11 cal/cm ² TPP 8.4 cal/cm ² NFPA 2112-2023
Gender	Men, Unisex
Hi-Vis Standards	CSA Z96-22 Class 3 Level 2 CSA Z96-22 Class 3 Level FR
Material	88/12 12%

	High-Tenacity Nylon 88% Cotton
Material Thickness	7 oz (240 GSM)
Number of Pockets	7
Pocket Type	Back Chest Side Tool, Back Chest Pass-Through Side Tool
Reflective Tape	StarTech® Double-Stitched Flame Resistant Suitable for Industrial Wash
Size	66
Size Length	Regular
Special Features	Action Back Aramid Flame Resistant Thread Industrial Wash Multiple Pockets Radiophone Clip Strap, Radiophone Clip Strap Aramid Flame Resistant Thread, Aramid Flame Resistant Thread Industrial Wash Multiple Pockets Radiophone Clip Strap
Standards	CSA Z96-22 Class 3 Level 2 CSA Z96-22 Class 3 Level FR, CSA Z96-15 Class 3 Level 2 CSA Z96-15 Class 3 Level FR